Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.




58252

5

U. S. DEPARTMENT OF AGRICULTURE
Agricultural Marketing Service - Cotton Program
Memphis, Tennessee

UNITED STATES Cotton Quality Report



CLASSINGS THROUGH JANUARY 3, 2002

Table 1. -- *United States*: Distribution of color, leaf and staple for upland cotton classed through January 3, 2002

QUALITY				Ja	nuary 3, 200	STAPLE				
COLOR	LEAF	26 & -	28	29	30	31	32	33	34	34 &
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bale
11 & 21	1-2	5	96	1,620	10,986	58,399	176,294	376,158	580,683	1,204,2
	3	2	95	1,166	6,466	27,370	91,793	247,547	436,654	811,0
	4		2	58	453	2,287	7,255	19,443	35,832	65,3
	5		-	3	23	102	387	760	1,047	2,3
	6			-	2	6	11	16	34	
	7	•	-	-	-		-	•	-	
TOTAL-		7	193	2,847	17,930	88,164	275,740	643,924	1,054,250	2,083,0
31	1-2	*	16	229	1,445	7,993	40,598	117,659	160,095	328,0
	3	21	118	698	3,920	26,836	179,666	801,034	1,531,117	2,543,4
	4	1	20	264	1,358	6,904	32,564	148,310	379,096	568,5 27,2
	5 6		1	37 2	139 13	691 35	2,577 179	7,680 333	16,169 769	1,3
	7				1	-	12	26	27	,,0
TOTAL		22	155	1,230	6,876	42,459	255,596	1,075,042	2,087,273	3,468,6
41	1-2	•	2	21	187	1,011	5,269	17,964	27,703	52,1
	3	6	29	151	1,197	10,112	77,664	378,341	780,963	1,248,4
	4	1	5	125	750	5,222	30,066	143,625	392,649	572,4
	5	1	6	37	239	1,180	4,485	12,284	26,144	44,3
	6		1	8	45	189	810	1,813	2,837	5,7
	7	•		-	6	19	73	162	428	6
TOTAL-		8	43	342	2,424	17,733	118,367	554,189	1,230,724	1,923,8
51	1-2			1	18	131	484	1,427	2,548	4,6
	3		-	3	173	1,392	7,041	27,632	59,710	95,9
	4		-	1	62	715	3,914	14,927	37,295	56,9
	5		-		30	195	739	1,990	4,027	6,9
	6	•	•		14	86	240	432	515	1,2
TOTAL-	7	•	-	6	305	2,555	79 12,497	133 46,541	109	166 1
61	1-2			0	1	2,555	40	37	50	166,1 1
01				•						
	3 4	•	•	•	4 9	51 55	198 203	482 448	722 618	1,4
	5				1	8	56	148	153	1,3
	6				'.	2	10	29	55	3
	7							3	4	
TOTAL			-		15	144	507	1,147	1,602	3,4
71	1-2		-	•	-	2	1	1	3	1
	3	-	-			4	24	18	15	
	4		-				7	22	11	
	5	-			-		4	2	5	
	6				•	1	2	2	2	
TOTAL	7	•	•	-	•			2	-	
TOTAL-		•	40	470	0.704	7	38	47	36	1
12 & 22	1-2	2	40	470	2,704	11,044	24,505	38,903	48,515	126,1
	3		51	588	2,401	8,673	21,181	34,812	43,407	111,1
	4	1	5	47	298	1,007	2,641	4,862	6,388	15,2
	5			5	13	49	103	225 3	280 9	6
	7						7.			
TOTAL-		3	96	1,110	5,416	20,773	48,434	78,805	98,599	253,2
32	1-2	13	14	133	663	2,857	9,127	16,203	15,032	44,0
	3	21	162	665	2,309	9,679	34,797	96,050	120,993	264,6
	4	5	72	357	1,320	4,013	10,434	24,479	44,357	85,0
	5		3	61	191	511	1,350	2,445	3,072	7,6
	6			8	14	46	91	173	150	4
	7	-	1	2	2	5	4	23	10	
TOTAL-		39	252	1,226	4,499	17,111	55,803	139,373	183,614	401,9
42	1-2		1	25	229	923	2,852	5,192	4,887	14,1
	3	1	27	531	2,966	11,720	45,923	147,455	210,106	418,7
	4	1	21	262	1,589	6,239	21,907	86,344	177,000	293,3
	5	1	12	46	444	1,576	4,043	8,419	13,466	28,0
	6		7	25	66	306	962	1,403	1,397	4,1
		3	3	9	5 204	34	119	187	194	750.6
TOTAL	7		71	898	5,304 145	20,798	75,806	249,000	407,050	758,9
TOTAL—		3	4		145	868	2,062	2,176	1,862	7,1
<i>TOTAL</i> —	1-2	-	1	9			10			
	1-2	-	6	203	1,462	7,274	16,524	27,243	28,083	
	1-2 3 4	-	6 7	203 142	1,462 887	7,274 3,108	8,683	22,400	37,005	72,2
	1-2 3 4 5	:	6	203 142 31	1,462 887 236	7,274 3,108 528	8,683 995	22,400 2,590	37,005 4,697	72,2 9,0
	1-2 3 4	·	6 7	203 142	1,462 887	7,274 3,108	8,683	22,400	37,005	80,7 72,2 9,0 1,6

Table 1. -- *United States*: Distribution of color, leaf and staple for upland cotton classed through January 3, 2002

QUALITY					nuary 3, 200	STAPLE				
G0712171	LEAF					01711 22		-		
COLOR		26 & -	28	29	30	31	32	33	34	34 &
7-		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bale
62	1-2			1	67	410	626	172	56	1,3
	3			3	114	746	2,024	2,242	922	6,0
	4	- 1		1	29	234	640	887	775	2,5
	5				2	22	67	130	207	4
201	6				2	3	2	20	49	
	7						1	2	5	
TOTAL-		•	•	5	214	1,415	3,360	3,453	2,014	10,4
13 & 23	1-2	1	1	32	219	939	2,022	3,696	4,918	11,8
110000	3		2	45	262	953	2,084	3,419	4,445	11,2
	4		1	19	101	198	349	445	557	1,6
1990	5		-	5	11	8	25	36	37	1:
	6				98.		-	1		
	7					_				
TOTAL-		1	4	101	593	2,098	4,480	7,597	9,957	24,8
33	1-2	4	2	18	150	587	1,789	3,791	4,076	10,4
	3	3	21	81	401	1,525	4,828	11,237	15,247	33,3
1110	4	The state of the s	3	40	196	644	1,377	2,697	4,360	9,3
	5	1000	1	8	34	136	204	364	465	1,2
	6	1949			2	8	21	41	26	
	7				1	111	1	1	6	
TOTAL-		7	27	147	784	2,900	8,220	18,131	24,180	54,39
43	1-2			8	58	211	677	1,128	1,063	3,14
	3	192,70	14	207	609	1,646	5,785	15,355	20,971	44,5
1595.11	4	1	6	93	324	1,028	3,132	9,271	16,540	30,3
	5	MAN	2	19	103	378	744	1,274	1,958	4,4
	6	100.0	1	00	18	55	161	228	219	6
	7	141			2	13	10	27	21	
TOTAL		1	23	327	1,114	3,331	10,509	27,283	40,772	83,36
53	1-2		1	13	149	612	1,071	812	386	3,04
00	3	- Irm	4	114	840	3,379	8,110	10,437	6,367	29,2
15.5	4	SIT		36	412	1,362	3,579	7,091	7,368	19,8
171	5	100		9	139	297	403	898	1,122	2,8
	6	111	-	4	31	74	47	80	111	3
	7			1	8	12	15	27	20	
TOTAL-	-		5	177	1,579	5,736	13,225	19,345	15,374	55,44
63	1-2			1	94	392	316	125	37	9
03			4	11	455	2,433	3,910	3,658	1,427	11,8
	3 4			8	156	947	2,099	2,277	1,385	6,8
	5		- 1	2	26	157	376	377	302	1,2
	6			1	13	8	19	18	44	1
	7				3	4	-	,0	-	
TOTAL	-		1	23	747	3,941	6,720	6,455	3,195	21,0
	47		2	44	274	913	2,644	6,222	8,769	18,8
24-54	1-7	Trans.	2	44	214	1	3	2	3	10,0
25-35	1-7	1200	41		004					9,8
81-85 1/	1-7	Test 2		9	331	1,632	3,006	2,988	1,861 314	9,8
All Colors	8 2/ L—	91	891	5 8,887	30 51,225	81 243,833	923,842	272 2,934,8 76	5,346,092	9,509,73

Table 1. -- *United States*: Distribution of color, leaf and staple for upland cotton classed through January 3, 2002

				Janua	ry 3, 2002				
QUALITY						STAPLE			
001.00	LEAF	0.5		07			40.0	05 +- 40	TOTAL
COLOR		35	36	37	38	39	40 &+	35 to 40+ Bales	TOTAL Bales
44 0 04	1-2	Bales 622,148	Bales 542,897	Bales 359,655	Bales 94,790	Bales 15,827	Bales 1,567	1,636,884	2,841,125
11 & 21	3	404,857	325,580	210,766	52,313	12,476	5,108	1,011,100	1,822,193
	4	33,251	18,014	10,144	2,004	479	114	64,006	129,336
	5	836	361	204	28	7	2	1,438	3,760
	6	19	7	6	1	4	-	34	103
	7			1				1	1
TOTAL	-	1,061,111	886,859	580,776	149,136	28,790	6,791	2,713,463	4,796,518
31	1-2	126,253	73,225	34,086	8,056	976	84	242,680	570,715
31								1,931,549	4,474,959
	3	1,215,389	543,514	144,610	22,636	3,947	1,453 154	693,193	1,261,710
	5	407,497 17,138	215,899 9,027	62,089 3,302	6,326 521	1,228 103	12	30,103	57,397
	6	675	284	136	47	8	1	1,151	2,482
	7	36	15	15	7		1	74	140
TOTAL	-	1,766,988	841,964	244,238	37,593	6,262	1,705	2,898,750	6,367,403
	1-2	22,899	9,943	2,975	501	37	1	36,356	88,513
41	H H								
	3	637,882	272,905	57,835	3,504	571	22	972,719	2,221,182
	4	487,802	271,243	64,936	4,597	843	14	829,435	1,401,878
	5	34,888	22,698	6,214	797	149	6	64,752	109,128 9,834
	6 7	2,318 236	1,151 97	552 119	98 22	11		4,131 478	1,166
TOTAL-	-	1,186,025	578,037	132,631	9,519	1,615	44	1,907,871	3,831,701
51							**		8,761
51	1-2	2,536	1,299	303	13	1		4,152	
	3	55,556	30,111	5,696	213	15	-	91,591	187,542
	4	47,217	30,137	6,690	633	37 71	239	84,953	141,867
	5 6	5,316 470	3,432 356	924 201	259 52	13	2	10,002 1,094	16,983 2,381
	7	68	55	59	11	13	2	193	559
TOTAL-		111,163	65,390	13,873	1,181	182	4	191,793	357,901
61	1-2	48	24		1	102		79	235
01				6			•		
	3	536	199	57	7	2	1	801	2,258
	4	527	178	53	6	1		765	2,098
	5	144 40	78	40	5		-	267	633
	6 7	40	27 8	44 2	10	-	-	121 11	217
TOTAL		1,295	514	202	30	3	-	2,044	5,459
71	1-2	6	1	2	30	3		9	16
/1	H H	12				•			
	3 4	12	8	10				22 30	83 70
	5	4	1	2			'	7	18
	6	1	1	1				3	10
	7		1					1	3
TOTAL-		35	19	17			1	72	200
12 & 22	1-2	35,891	16,562	7,626	1,817	331	41	62,268	188,451
12 0 22	3	30,098	15,568	8,451	2,004	435	51	56,607	167,720
	4	5,236	2,255	1,106	166	66	13	8,842	24,091
	5	207	83	42	8	1	13	341	1,016
	6	4	1	1				6	22
	7								
TOTAL-		71,436	34,469	17,226	3,995	833	105	128,064	381,300
32	1-2	8,375	3,466	1,916	593	77	7	14,434	58,476
72	3	70,538	28,284	10,748	2,488	364	133	112,555	377,231
	4	39,700	17,229	5,437	683	162	28	63,239	148,276
	5	2,735	1,310	392	89	38	5	4,569	12,202
	6	139	67	18	12	5	3	244	726
	7	5	4	2	1	2		14	61
TOTAL		121,492	50,360	18,513	3,866	648	176	195,055	596,972
42	1-2	2,331	862	530	276	10	-	4,009	18,118
-	3	122,278	44,822	9,234	694	88	24	177,140	595,869
	4	168,429	77,378	16,345	463	40	4	262,659	556,022
	5	13,951	7,478	1,905	112	34	3	23,483	51,490
	6	912	450	139	31	15	3	1,547	5,713
	7	116	42	21	6	2		187	743
TOTAL-		308,017	131,032	28,174	1,582	189	31	469,025	1,227,955
52	1-2	813	237	56	17	3		1,126	8,249
05	3	15,663	6,486	1,537	155	8			
	4	31,208	13,052	2,240	69	5	2 2	23,851	104,646
	5	5,347	2,808	472	17	5	3	46,576	118,808
	6	446	221	73	6	5	3	8,652	17,731
	7	67	18	14	3	2	-	752 104	2,405 565
TOTAL-		53,544	22,822	4,392	267	28	8	81,061	252,404
			,					01,001	202,707

Table 1. -- United States: Distribution of color, leaf and staple for upland cotton classed through

				Jani	uary 3, 2002				
QUALITY						STAPLE			
COLOR	LEAF	35	36	07	00	206	40.0	05.4- 40	TOTAL
COLOR		Bales	Bales	37 Bales	38 Bales	39 Bales	40 &+ Bales	35 to 40+ Bales	TOTAL Bales
62	1-2	20	4	3	1	Dales	Dales	28	1,360
	3	389	198	93	5			685	6,736
	4	480	151	94	8	1	4	738	3,304
	5	114	55	8	2	1		180	608
	6	35	11	9	2			57	133
	7	9	3	3	1	-	-	16	24
TOTAL-		1,047	422	210	19	2	4	1,704	12,165
13 & 23	1-2	3,529	1,425	556	103	7		5,620	17,448
	3	2,972	1,250	540	111	11	3	4,887	16,097
	4	389	188	51	4	2		634	2,304
	5	17	11					28	150
	7	'					-	- '	2
TOTAL-	-	6,908	2,874	1,147	218	20	3	11,170	36,001
33	1-2	2,702	1,340	585	104	12	3	4,746	15,163
	3	11,020	5,427	2,985	874	85	11	20,402	53,745
	4	3,822	1,667	700	183	15	1	6,388	15,705
	5	246	106	71	7	2		432	1,644
	6	13	9	3				25	123
	7	2	1				-	3	12
TOTAL-		17,805	8,550	4,344	1,168	114	15	31,996	86,392
43	1-2	738	328	291	128	2		1,487	4,632
	3	13,772	6,455	2,779	630	48	10	23,694	68,281
	4	14,037	6,464	2,122	303	17	3	22,946	53,341
	5	1,572	708	258	24	10	1	2,573	7,051
	6	125	49	17	8	6	1	206	888
TOTAL-	7	15 30,259	14,007	5,469	1,096	84	15	50,930	97 134,290
53	1-2	125	46	33	14	04	15	218	3,262
55			1,066			5	1	4,602	33,853
	3 4	2,813 4,688	1,692	603 425	111 51	1	4	6,857	26,705
	5	850	372	79	4			1,305	4,173
	6	62	48	25				135	482
	7	18	2		4	* 1		25	108
TOTAL-		8,556	3,226	1,165	184	7	4	13,142	68,583
63	1-2	2	3	3				8	973
	3	299	88	95	6			488	12,383
	4	465	113	111	15			704	7,576
	5	195	52	22	1			270	1,510
	6	61	51	14				126	229
TOTAL	7	4 000	2	045	2	•	-	1,600	22,682
TOTAL-		1,022	309	245	24	40	0		
24-54	1-7	6,671	3,311	1,948	546	43	2	12,521	31,389
25-35	1-7	5	3	250	59	14		1,755	17 11,582
81-85 1/	1-7 8 2/	927 289	496 99	258 62	4	14		454	1,301
All Colors TOTAL, ALL	0 21	4,754,595	2,644,763	1,054,890	210,487	38,834	8,909	8,712,478	18,222,215
TOTAL, ALL		4,704,000	2,044,700	1,001,000	310,107		verage Staple		34.5
FYTRAN	NEOUS M	ATTER			1.9		Percent Tenderable		64.1
	k - Leve		351,574		8,9				5 12
	k - Leve	and the second s	270						
	ss - Leve		129,741						
	ss - Leve		910						
	p - Leve		8,240						
	- Leve		77						
	er - Leve		9,738						
Othe	er - Leve	12	31	Balaw Conda Colo	* 0/ Pole Card	Loof			
18,222,215	pales cla	ssed, includes 25,	703 of Kansas. 1/	below Grade Cold	i. Zi below Grade	Leal.			

Table 2. -- *United States*: Percent distribution of color, leaf and staple for upland cotton classed: January 3, 2002

	H .						Januar	y 3, 200	2							
QUALITY	LEAF								STAPLE						-	
COLOR	1	26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	1-2			:	0.1	0.3	1.0 0.5	2.1	3.2	3.4 2.2	3.0 1.8	2.0 1.2	0.5	0.1 0.1		15.6 10.0
11 & 21	3 4	100				0.2	*	0.1	0.2	0.2	0.1	0.1	*	0.1		0.7
11021	5	- 4	-					*	*	*	*	*	17.		•	*
	6	-	-		*	*									-	•
	7		-	-		-						*			•	*
TOTAL-	1.0		-	*	0.1	0.5	1.5	3.5	5.8 0.9	5.8 0.7	0.4	3.2 0.2	0.8	0.2		<i>26.3</i> 3.1
	1-2			*		0.1	1.0	0.6	8.4	6.7	3.0	0.2	0.1			24.6
31	4					*	0.2	0.8	2.1	2.2	1.2	0.3	*			6.9
	5			*	1 .				0.1	0.1						0.3
	6	-	115		:	•			:	:	•	:	•	•	:	:
TOTAL-	7			-	•	0.2	1.4	5.9	11.5	9.7	4.6	1.3	0.2	•	*	34.9
TOTAL	1-2	-				*	1.4	0.1	0.2	0.1	*	1.0	*			0.5
	3	*	*			0.1	0.4	2.1	4.3	3.5	1.5	0.3				12.2
41	4	*	*				0.2	0.8	2.2	2.7	1.5	0.4				7.7
	5			*				0.1	0.1	0.2	0.1	:	*		:	0.6
	6 7	-					:	:	:	:						
TOTAL-		,		*		0.1	0.6	3.0	6.8	6.5	3.2	0.7			*	21.0
	1-2		-	*	•	*	*	*	*	*	*	•	•	- *		*
	3	-						0.2	0.3	0.3	0.2	•			-	1.0
51	4	-			:	:		0.1	0.2	0.3	0.2	:			*	0.8
	5		2 B	•												0.1
	7	-												_ 1		•
TOTAL-			-				0.1	0.3	0.6	0.6	0.4	0.1	*			2.0
	1-2	-	-	•			•	•	•	•	*	•	•	-		
	3	-	-	-	*	•		•		*	*	•	•	•	-	
61	4	-		•							:			•		
	5															F .
	7	-	-	-	-	-								-		
TOTAL-			•	-	•	*	*	•	*	•		•		•	-	1.
	1-2			- "		•		•	•	72.0			•	-		- P
74	3	-		-	-	*		:	:	:			•	-	:	:
71	5			1		4 0										
	6		-	-					. 00							**
	7			-	-	-	-	*			•	-		-	-	H .
TOTAL—		- I	-	-	4 -	*	*	*	*	*	*	*		-	*	
	1-2					0.1	0.1	0.2	0.3	0.2	0.1				*	1.0
12 & 22	3 4						0.1	0.2	0.2	0.2	0.1					0.9
12 0 22	5	-														0.1
	6			-										-	-	
	7		•	-			-	-		-	-	-			-	•
TOTAL-	1.5	*	-	*	*	0.1	0.3	0.4	0.5	0.4	0.2	0.1	•	*	•	2.1
	1-2	-					0.2	0.1	0.1		*	0.1				0.3
32	4	*					0.2	0.5	0.7	0.4	0.2	0.1				2.1 0.8
	5	-						*	*	*			• 10			0.1
	6	-	-	*	111	*	*			*	*		•		*	*
7074	7		•	•		*	*	*	*	*	*	*	*	•		*
TOTAL—	1.0	*		-	*	0.1	0.3	0.8	1.0	0.7	0.3	0.1			*	3.3
	1-2					0.1	0.3	0.8	1.2	0.7	0.2					0.1 3.3
42	4		*	*		*	0.3	0.5	1.0	0.7	0.4	0.1	*		*	3.3
	5		*		*	*		*	0.1	0.1	*	*		*	*	0.3
	6		*	*	*	*			*	*	*	*	*			- *
	7		*	•	*	*	*	*	*	*	*	*	•	*	-	
TOTAL-	10			-		0.1	0.4	1.4	2.2	1.7	0.7	0.2	:	:	*	6.7
	1-2					*	0.1	0.1	0.2	0.1						0.6
52	4					*	*	0.1	0.2	0.1	0.1					0.6
	5	-		*				•	*							0.1
	6	- 7				*	*	*	*	*	*	•	*			
	7	•		*	*	*	*	*	•	*	*	*	- •	*	•	★ (1) (-
TOTAL-		•		-		0.1	0.2	0.3	0.4	0.3	0.1	*	•	*	#	1.4

^{*} Less than 0.05 percent.

Table 2. -- United States: Percent distribution of color, leaf and staple for upland cotton classed:

January 3, 2002 QUALITY STAPLE LEAF 40 & + COLOR 26 & 28 29 30 31 32 33 35 36 37 38 39 TOTAL Pct. 1-2 3 62 4 5 6 7 TOTAL-0.1 1-2 0.1 3 0.1 13 & 23 4 5 6 7 TOTAL-0.2 1-2 0.1 3 0.1 0.1 0.1 0.3 33 4 0.1 5 6 7 TOTAL-0.1 0.1 0.1 0.5 1-2 0.1 0.1 0.4 3 0.1 43 4 0.1 0.1 0.3 5 6 7 TOTAL-0.1 0.2 0.2 0.1 0.7 0.1 1-2 0.2 0.1 3 53 4 0.1 5 6 TOTAL-0.1 0.1 0.1 0.4 1-2 0.1 3 63 4 5 6 0.1 TOTAL-0.2 24-54 1-7 25-35 1-7 0.1 81-85 1/ 1-7 All Colors 8 2/ 100.0 26.1 14.5 5.8 1.2 0.2 TOTAL, ALL-0.3 1.3 5.1 16.1 29.3 Average Staple 34.5 EXTRANEOUS MATTER Percent Tenderable 64.1 Bark - Level 1 1.9 Bark - Level 2 Grass - Level 1 0.7 Grass - Level 2 Prep - Level 1 Prep - Level 2 Other - Level 1 Other - Level 1

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

18,222,215 bales classed includes 24,388 of Kansas.

Table 3. -- Alabama: Percent distribution of color, leaf and staple for upland cotton classed:

January 3, 2002 QUALITY STAPLE LEAF TOTAL 40 & + 39 26 & -28 33 34 36 38 COLOR 29 30 32 37 Pct. 1.9 0.1 0.8 0.4 0.1 0.5 1-2 11.6 3 0.3 2.3 4.4 3.0 1.3 0.2 1.6 0.2 0.5 0.5 0.3 0.1 11 & 21 4 5 6 15.1 TOTAL-0.4 3.1 5.7 3.9 0.4 2.3 0.9 0.6 0.1 1-2 0.1 0.6 3 1.0 6.6 13.7 11.7 4.8 0.8 38.7 15.4 5.5 2.8 31 4 0.1 1.4 4.8 0.7 5 0.2 0.2 0.1 0.6 6 57.0 TOTAL-0.1 1.3 8.6 19.6 18.0 1.5 1-2 0.1 0.2 0.1 0.4 3 0.5 2.4 4.6 3.4 1.0 0.1 12.1 3.2 9.1 41 0.2 1.2 3.1 1.2 0.2 5 0.1 0.2 0.3 0.1 0.8 6 TOTAL-0.6 8.2 6.9 0.4 22.4 3.8 1-2 0.1 0.3 0.4 0.2 1.1 3 0.5 51 0.1 0.2 0.1 5 0.1 6 TOTAL-0.1 0.5 0.7 0.3 0.1 1.7 1-2 3 61 5 6 TOTAL-1-2 3 71 5 6 TOTAL-1-2 0.2 3 0.1 12 & 22 4 0.1 5 6 TOTAL-0.1 0.1 0.1 0.3 1-2 3 0.1 0.2 0.1 0.1 0.6 32 0.1 0.2 0.2 0.1 0.6 5 6 TOTAL-0.2 0.4 0.4 0.2 1.3 1-2 3 0.1 0.2 0.2 0.1 0.6 42 0.1 0.3 0.2 0.1 0.7 5 0.1 6 TOTAL-0.1 0.3 0.5 0.4 0.1 1.5 1-2 3 0.1 52 0.1 5 6 TOTAL-0.1 0.2

^{*} Less than 0.05 percent.

Table 3. -- *Alabama*: Percent distribution of color, leaf and staple for upland cotton classed:

January 3, 2002

	11	11					Januar	y 3, 2002	2							
QUALITY	LEAF								STAPLE							
COLOR	LEAF	26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	1-2	-	-	-	-	*		*				-				
	3	-	-	-	-				*	*		-	-	-		
62	4	-	-	•	•	-			*	*	•	-		-	-	•
	5	-	-	-	•	•	•		*	•	•	•	•	•	•	
	6	-	•	-	•	•	-	•		•	-	-	•	-	•	*
TOTAL-	7	-	•	-	•	- i-	•		*		•	-	-	•	-	*
TOTAL-	1 4 0	-	-	-	-		-		-			-	-	•	-	
	1-2					•							-	•	-	
13 & 23	4		-		•	•				•	*		*	•	•	
10 0 20	5									*	*		-			
	6		-								٠					
	7		-													
TOTAL		-	-	-	-	-			*	*	*	*	-		-	
	1-2		•	-		-			*	*		-	-			*
	3	-	-	-							•	•		-	-	0.1
33	4	-	-	-	-	-		•	•	*	*	*	-	-	•	*
	5	-	-	-	-	•	-		*	•	*	*	-	-	•	*
	6	-	•	•	•	-	•		*	-	•	•	-	-	•	•
2024	7			•	•	-	-	•	-	-	- #	-	•	•	•	•
TOTAL—		-	-	-	-				0.1		-			•		0.2
	1-2		•	•	•						:			•	•	
43	3		1	-										•	•	0.1
43	5		-				_									0.1
	6								*			_				
	7					_						-	-	-		-
TOTAL-		-	-		-		•		0.1	*	*		-			0.2
	1-2	-	-			*			ŵ			•	-		•	*
	3	-	-	-	-				*	*	*	-	-	-	•	*
53	4	-	•	-	-	*			*	*	*	-	-	-	•	*
	5	-	-	-	•	•	•		•	*	*	-	-	-	•	*
	6		•	•		•	-	•	*	•	•	-	-	-	•	*
	7		-	•	•	-	-		-	-	*	-	-	•	-	-
TOTAL—		-		-	-							-	-	-	-	
	1-2		•			•	•	- 1			•	•	•	-	-	
63	3 4		•		•	•	-			*		-				
63	5															
	6			_			_					-				
	7			-							-	-		-	-	-
TOTAL-			-	-		-	-		*	*	-	-	-	-	-	*
24-54	1-7	-	•		-					*	*	*	*			0.1
25-35	1-7		-	-		-	-		-	-		•	-	-	•	*
81-85 1/	1-7	-	-	-	-	-	-		*	*	*	*	•	-	•	*
All Colors	8 2/	-	-	-	•	-	-	•	•	•	•		-	•	•	
TOTAL, ALL-			-	-	•	0.1	2.7	16.8	35.5	30.1	12.4	2.4	•		-	100.0
EXTRANEOUS MA	TTER												Av	erage Sta	aple	34.4
													Perci	ent Tend	erable	80.0
Bark - Level		3.4														
Bark - Level Grass - Level		0.9														
Grass - Level		0.9														
Prep - Level																
Prep - Level	2															
Other - Level		*														
Other - Level	1															
836,597		lassed.	1/ Below	Grade Co	olor. 2/ Be	elow Grac	de Leaf. *	Less than	0.05 per	cent.						

Table 4. -- Arizona: Percent distribution of color, leaf and staple for upland cotton classed:

COLOR LEAF COLOR LEAF 20 82 20 93 31 32 33 34 35 36 37 38 30 40 & 10TAL	CUALITY	н	П					Januar	3, 2002	2							
COLOR	QUALITY	LEAF								STAPLE							
1-2	COLOR			28	29	30		32		34				38	39	40 & +	TOTAL
11.6 21		4.0	Pct.	Pct.	Pct.	Pct.										Pct.	
11 6 21																	10.8
TOTAL	11 & 21	11 .	-			-									*		0.4
TOTAL		5	-	-	-	-	-	-						-	-	-	
TOTAL		II .	-	•	-	•	-	-	-		-	-	•	-	-	-	•
1-2	TOTAL	7	-	<u> </u>	-	-	-	0.4	23	99	23.9		11 1	0.8	-		72.6
3	TOTAL	1-2	-	-	-	-	*	PH-1-							-		
S			-	•	-	*			0.4	1.3	2.4	2.1	1.0		*	-	7.4
TOTAL	31		-	-	-	:	*			0.3	0.4	0.3		:		-	
7 707AL—		11	-	-	-										_		
1-2		45	-						-							-	
41	TOTAL-		-	-	-	•	*	0.2	1.1				2.5	0.2	2	-	
41		11		-	-		*								-	-	
S	44		-	-	-	-									7	•	1.3
TOTAL	41							-	0.1	0.1	0.1	0.1					0.1
TOTAL— 1.2 1.2 1.2 1.3 4 51 51 61 60 707AL— 1.2 1.2 1.3 61 61 7 TOTAL— 1.2 1.3 61 61 7 TOTAL— 1.2 1.2 1.3 1.3 1.4 1.5 1.5 1.5 1.5 1.5 1.5 1.5		H	-	-	-		•	*		•	*		*	-	-		
1-2		7	-	-	-	-	-	-	*	•				-	-	-	
51	TOTAL-	1.0	-	-	•		-		0.2	0.7	0.9	U.7			•	-	2.6
51		0			-							*		-			
TOTAL	51		-	-	•	-		*				-		-	-	•	
TOTAL—			-	•	-	-	-	•		:		•		-	-	•	
TOTAL— 1.2 61 61 61 62 63 63 70 TOTAL— 1.2 71 42 71 70 70 70 70 70 70 70 70 70			-			•						-			-	•	
61	TOTAL-		-		-	-	*		•	*				-			0.1
61		1-2	-	•	-			•	•	*	*	*	•	-	-	•	*
TOTAL— 1-2 71 4		II I	-	-	-	-	•	*	*	•	-	-	-	-	-	•	*
TOTAL	61		-	•	-	*	•	-	•	•	-	-	-	•	-	-	•
TOTAL— 1-2 1-2 3								-	-		-	-	-		-		
71			-		-	-	-	•	-	-	-	-		•	-		
71	TOTAL-		-	•	-	•	-	*	*	*	*	*	•	•	-	•	-
71				•		•		•	•	•	•	•		•	-	1	-
TOTAL— 1-2	71	И									-	-	-		-		
TOTAL— 1-2			-	•	-	-	•	-	•	-	-	-	-	-	-	-	-
TOTAL— 1-2			-	•	-	-	•	-	-	•	~	-	-	•	-	•	-
1-2	TOTAL -		-	-	<u> </u>	-	•	-		-	•	•	-:	<u> </u>	-	-	
12 & 22	TOTAL	1-2						*	0.1	0.3	0.7	0.6	0.2	*	*	-	
TOTAL— TOTAL—			-	•			*	*	*					•	-	-	1.3
TOTAL— TOTAL— 1-2 1-2 3	12 & 22		-	•	-	-	•	*	*	*				*	-	-	
TOTAL— TOTAL—				-			-						Ĭ		-		
1-2			-			-										_	_
32	TOTAL-		•	•	-	•	*	*								-	
32		1 1	•	•	•	:		*								-	
TOTAL	32	8 N						*									
TOTAL— TOTAL—			-	•		-		*	*				*				
TOTAL— 1-2 3				-	•	•	-	•	•	*			*	•	-	-	*
1-2	TOTAL	7	•	•	-	*	*	*					0.1	-	+	-	
42	TOTAL	1-2		-			-				*					•	
42			-	-					•						-	-	0.1
6 7	42	l R	-	•	-	-					•	*		•	-	•	0.2
TOTAL— 7		l H		-								*			-	-	0.1
TOTAL— 1-2 3					-	-		-					-				*
52	TOTAL-		•	-	-			*	0.1	0.2	0.1	0.1			-	-	0.5
52			-	•	-	•	-	-	•		•		*		-	-	
5	50) [2	*	•	-	-	-	-				:		•	-	-	
7	52																
TOTAL		6	-	•	-	-	-			*			-	-			
		7	•	-		-	-	-			•	-	•	•	-		
		roomt		-	-			-	-	*	-	-	*	-	-	-	•

Less than 0.05 percent.

Table 4. -- Arizona: Percent distribution of color, leaf and staple for upland cotton classed:

January 3, 2002 QUALITY STAPLE LEAF 26 & COLOR 28 29 30 31 32 33 34 35 36 37 38 39 40 & + TOTAL Pct. 1-2 3 62 4 5 6 TOTAL-1-2 3 13 & 23 4 5 6 7 TOTAL-0.1 1-2 3 33 4 5 6 TOTAL-0.1 1-2 3 43 4 5 6 TOTAL-0.1 1-2 3 53 4 5 6 TOTAL-1-2 3 63 4 5 6 TOTAL-24-54 1-7 25-35 1-7 81-85 1/ 1-7 All Colors 8 2/ 100.0 TOTAL, ALL-0.1 0.7 4.1 15.5 32.5 31.6 14.5 1.0 EXTRANEOUS MATTER 35.4 Average Staple Percent Tenderable 67.0 Bark - Level 1 1.5 Bark - Level 2 Grass - Level 1 0.5 Grass - Level 2 Prep - Level 1 Prep - Level 2 Other - Level 1 0.5 Other - Level 1

553,733 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. "Less than 0.05 percent.

Table 5. – *Arkansas*: Percent distribution of color, leaf and staple for upland cotton classed:

January 3, 2002

QUALITY							Januar	y 3, 200	STAPLE							
COLOR	LEAF	26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTA
002011		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	1-2	-	-	-	-			0.1	0.3	0.2	0.1		-	-	-	0.6
	3	-	-	-	-	*	*	0.2	0.7	0.4	0.2	0.1	*	-	-	1.6
11 & 21	4	-	-	•	-	•		•	*	•			-	•	-	0.1
	5	•	-	•	-	-	-	-	•				-	-		
	6 7		-	-	-	-	•									
TOTAL-		-	-	-		*		0.3	1.0	0.6	0.3	0.1			-	2.3
	1-2		-	-	-		0.1	0.6	1.2	0.8	0.3		-		-	3.0
	3	-	-	-			0.2	3.3	8.6	8.2	4.4	0.8		-	-	25.5
31	4	-	-	-	•		*	0.3	1.7	3.7	2.4	0.6	*		-	8.6
	5	-	•	-	-	•	*			0.1	0.1		-	-	-	0.3
	6 7		-	-	-	•	-			-			-	•	1	
TOTAL-		-	-	· ·			0.3	4.2	11.4	12.8	7.2	1.4		-	-	37.4
TOTAL—	1-2						"	0.1	0.2	0.2			-	-		0.6
	3			_	*		0.2	2.0	5.8	6.3	3.2	0.6			_	18.2
41	4	-					*	0.6	3.3	7.2	4.6	1.0			-	16.7
	5	-	-	•	-		*	*	0.2	0.5	0.4	0.1		-	-	1.2
	6	-	-	•	-	•				*				-	-	
TOTAL	7	-	•						*	14.0	*	4.0	-	-	•	26.7
TOTAL-	1 1 0		*	-			0.2	2.8	9.5	14.2	8.3	1.8		-	-	36.7
	1-2 3							0.2	0.7	0.7	0.3		*		-	1.9
51	4		-		-			0.2	0.7	0.7	0.5	0.1				1.8
	5		-	-	-		•		*	0.1	0.1			-	-	0.2
	6	•	-	٠	-	-	•				•		-	-	•	
	7	•	-	-	-		-	-				•	•		-	*
TOTAL—		-	-	•	-	•		0.3	1.1	1.5	0.9	0.1		-		4.0
	1-2	-	-	-	•	•	•				-			•	-	
64	3	-	•	•	•	•							•	•	-	
61	5															
	6		-							*						
	7	-	-	-		-	-			-		-				-
TOTAL—		•	-	•	-	*	*	*	*	*	*	*	•	-		*
	1-2	•	-	-	-	-	•	•	-	•	•	•	-	•	•	-
	3	•	-	-	-	-	-	-		•	•	-	-	-	-	
71	5			-	•	-		-		-		•	•	•	-	
	6									-		:				
	7		-	-			-		-	-			-	-		-
TOTAL-		•	-	-	na .	-		-	*		-	-	-		-	
	1-2			•	•		*							-	-	-
	3		-	•	-			*		•		•	•	•	-	0.1
12 & 22	4	-	•	•	-	-				*			-	-	-	
	5	-	-	-	-	•	•	•	•	•		_	•	-	•	
	7	-								-		- 1	-			
TOTAL-		-		-	-	*	*	*		*	*	*	*			0.1
	1-2					-	*	*	*	*		•	•			0.1
	3	-	-		-			0.3	0.7	0.6	0.2		-			1.9
32	4	-	-	-		•	•	0.1	0.4	0.5	0.3	0.1		-	-	1.3
	5	•	-	•	-	-						•	-	-	-	0.1
	6 7	•	•	•	-	•	•	-	•			•	•	•	•	
TOTAL-			-			-	-	0.4	1.1	1.1	0.5	0.1	·	-:-	-	3.4
70772	1-2					*	*	*	*	*	*	*				*
	3				*	*	0.1	0.6	1.5	1.4	0.6	0.1				4.4
42	4		-	-		*	*	0.5	1.9	3.1	1.8	0.4	*	*	-	7.7
	5	-	-	-	-	-	*	*	0.1	0.2	0.1		*	•		0.6
	6	•	-	-	-	-	•	*		*	*		-	•	•	
TOTAL	7	•	•	•	-	-	•		*	*	-	*	•	-	-	
TOTAL—	1.0	•	-	•		-	0.1	1.1	3.5	4.7	2.6	0.6		*	•	12.7
	1-2	•	•	•	•							:	-	•	•	
52	3 4					*		0.1 0.1	0.2 0.3	0.2 0.4	0.1 0.2			•	-	0.5
ÚĽ.	5							*	0.3	0.4	v.2	*				1.1 0.2
							*	*	*	*		*				*
	6	•														
TOTAL-	6 7	-		•	-	-	-	0.2	*	*	-		-			*

Less than 0.05 percent.

Table 5. -- Arkansas: Percent distribution of color, leaf and staple for upland cotton classed:

January 3, 2002 QUALITY STAPLE LEAF COLOR 26 & -28 29 30 31 32 33 36 37 38 39 40 & + TOTAL Pct. 1-2 3 62 4 5 6 TOTAL-1-2 3 13 & 23 4 5 6 TOTAL-1-2 3 0.1 0.2 33 0.1 5 6 7 TOTAL-0.1 0.1 0.3 1-2 3 0.1 0.1 0.3 43 0.2 0.2 0.1 0.5 5 6 TOTAL-0.3 0.3 0.1 0.9 0.1 1-2 0.1 3 53 0.1 5 6 TOTAL-0.1 0.1 0.2 1-2 3 63 4 5 6 TOTAL-0.1 24-54 1-7 25-35 1-7 81-85 1/ 1-7 Ali Colors 8 2/ 0.8 100.0 TOTAL, ALL-9.5 28.7 36.2 20.5 4.2 EXTRANEOUS MATTER Average Staple 34.8 Percent Tenderable 58.2 Bark - Level 1 0.3 Bark - Level 2 Grass - Level 1 0.2 Grass - Level 2 Prep - Level 1 Prep - Level 2 Other - Level 1 Other - Level 1

^{1,782,786} Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. "Less than 0.05 percent.

Table 6. -- California: Percent distribution of color, leaf and staple for upland cotton classed:

CHALIDA	U	П					January	3, 2002	2							
QUALITY	LEAF								STAPLE							
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
	100	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct. 0.8	Pct. 0.1	Pct. 49.0
	1-2	-					0.1	0.9	3.7 0.9	10.5 4.9	15.6 11.2	12.8 8.8	4.4 2.3	0.6	0.1	29.1
11 & 21	4	-	-	-				*	*	0.1	0.2	0.2			*	0.6
	5	-	-	-	-	-	-	•	*					*	-	•
	6	-	•	-	•		-	-	-	•	*	•	•	•	-	•
TOTAL-	7	-	-	-		-	0.2	1.1	4.7	15.5	27.0	21.8	6.7	1.4	0.4	78.7
TOTAL	1-2		-		-	-		0.1	0.5	1.6	1.5	1.0	0.3	*	*	5.1
	3	-		-				0.1	0.4	1.5	2.9	2.4	0.8	0.2	0.1	8.4
31	4	-	-	-	•	*			0.1	0.2	0.4	0.5	0.1		-	1.3
	5		-	•	•	•	*	*		*	*		*			0.1
	7							*	*				*		*	*
TOTAL-		•		•	*	r r	*	0.2	1.0	3.3	4.9	3.9	1.3	0.3	0.1	14.9
	1-2	-	-		•	*	*	*	0.1	0.2	0.2	0.1	*	*	*	0.7
44	3	-	-	-	•	*	*	*	0.1	0.3	0.5	0.4	0.1			1.4 0.5
41	5		-		•		*	*		0.1	0.2	0.2	*			0.5
	6	-	-				*			*		*	*	*	*	*
	7	-	•	•	-	-	-	*	*	*	*	*	*	*	-	*
TOTAL-	1.0	•	•	•			-:	*	0.2	0.6	0.9	0.7	0.2	*	*	2.7
	1-2					*			*	0.1	0.1	0.1				0.1 0.3
51	4	-		-		*	*	*	*	*	*	*	*	-		0.1
	5	-	-	•		-		•	•	*	*	*	*	•	•	*
	6	-	•	-	•	•	•	•	:	*		•		•	•	
TOTAL-	7	-	-	-	-	*	*	*	*	0.2	0.2	0.1	*	*	*	0.6
TOTAL	1-2	-					-		*	*	*	*	*	-	-	*
	3	-	•		-	*	*	*	*	*	*	*	*	*	•	*
61	4	-	-	-	•	•	•	*	*	*		*	*	-	-	*
	5 6				•						*		*	-		
	7	-	-	-	-				-	-						
TOTAL-			•		-	*	W	*	*	*	*	*	*	*	•	*
	1-2	-	•	-	•		:	-	*	•	*	•	-	•	•	
71	3 4	-						*	*	•		*		-	*	*
	5	-			•					*		*		-	-	*
	6	-	-	-	•	•	-		•		-	•	•	-		-
TOTAL	7	-	•	-	-	•	<u> </u>	-	-		-	•	-	-		
TOTAL	1-2	-	-	-	-		-	-	-	0.1	0.1	0.2	0.1	-		0.6
	3	-			-	-	*			0.1	0.1	0.2	0.1			0.6
12 & 22	4	-	-	•	-	-	-	•	*	•					•	
	5	•	-	-	•	-	-	•		•			•	-	*	
	6 7					-		-					-	-		_
TOTAL			-	-		*	#	*	0.1	0.2	0.3	0.4	0.2	*		1.2
	1-2	•		-	-	*	*	*	*	*	0.1	0.1	*	*	*	0.2
32	3 4	•		•	-	*				0.1	0.2	0.2	0.1			0.5
32	5	-			-	-	_									0.1
	6	-	•	-	-	-	-	-		-						
	7	•	-		-		•	-	*		•		*		-	
TOTAL—	1-2	-	-	-	-			+	*	0.1	0.2	0.3	0.1		-	0.9
	3				*	*	*		*		0.1	0.1	*	*	*	0.1
42	4	-	-	-		-		*						*		0.1
	5	-	-	•	•	-	•	*		*		*	*	*		*
	6 7	•						-			·				-	
TOTAL—		-	-	-		*		•		0.1	0.1	0.1	0.1		•	0.4
	1-2	-	•	-		*	*	*	*	*	*	*	*	*		*
	3	•	•	•	-	*	*	*	*	*		*	*	*	*	0.1
52	4 5									*			*	*	*	
	6								•	*	*	•	*		*	
	7	-		-	-	-	•			-	*		*	•	-	*
TOTAL—		•	-	-	•	-	-	-	•	-		•	*	*		0.1

Less than 0.05 percent.

Table 6. -- California: Percent distribution of color, leaf and staple for upland cotton classed:

January 3, 2002 QUALITY STAPLE LEAF COLOR 26 & -28 29 30 32 37 38 39 40 & + TOTAL Pct. 1-2 3 62 4 5 6 TOTAL-1-2 3 13 & 23 4 5 6 TOTAL-1-2 3 0.1 33 4 5 6 TOTAL-0.1 1-2 3 0.1 43 5 6 TOTAL-0.1 1-2 3 53 5 6 TOTAL-1-2 3 63 5 6 TOTAL-24-54 1-7 25-35 1-7 81-85 1/ 1-7 All Colors 8 2/ TOTAL, ALL-0.2 6.2 20.1 33.8 27.5 8.6 1.8 0.5 100.0 1.4 EXTRANEOUS MATTER Average Staple 36.1 91.7 Percent Tenderable Bark - Level 1 Bark - Level 2 0.3 Grass - Level 1 0.6 Grass - Level 2 Prep - Level 1 Prep - Level 2 0.3 Other - Level 1 Other - Level 1

1,615,629 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. "Less than 0.05 percent.

Table 7. -- Florida: Percent distribution of color, leaf and staple for upland cotton classed:

January 3, 2002 QUALITY STAPLE LEAF COLOR 26 & -31 34 37 38 40 & + TOTAL 28 29 30 32 33 35 36 Pct. 0.3 1-2 0.1 0.2 0.1 1.9 4.3 3 0.1 0.8 1.2 0.3 0.4 0.2 11 & 21 4 0.1 0.1 5 0 TOTAL-0.9 2.2 1.4 0.3 5.0 0.1 1-2 0.3 0.7 0.4 0.1 1.5 39.5 0.3 14.0 16.5 5.0 0.3 3 3.4 31 4 0.6 2.1 2.9 1.8 0.2 7.7 0.1 5 6 TOTAL-4.2 16.8 19.9 0.5 48.8 0.4 6.9 0.5 1-2 0.1 0.2 0.1 29.9 3 0.3 2.8 10.5 12.3 3.7 0.2 41 4 0.2 1.4 3.7 4.6 2.5 0.3 12.7 0.1 0.4 5 0.1 0.1 0.1 6 TOTAL-43.5 14.6 17.1 0.5 4.5 6.3 0.5 1-2 0.1 0.4 0.4 0.2 1.2 1.0 0.3 0.4 0.2 51 4 5 6 TOTAL-2.2 0.2 0.8 0.7 0.4 0.1 1-2 61 4 5 6 TOTAL-1-2 3 71 4 5 6 TOTAL-1-2 3 12 & 22 4 5 TOTAL-1-2 3 32 4 5 6 TOTAL-0.1 1-2 3 0.1 0.2 42 4 0.1 5 6 TOTAL-0.1 0.1 0.3 1-2 3 52 5 ö TOTAL-0.1

Less than 0.05 percent.

Table 7. -- Florida: Percent distribution of color, leaf and staple for upland cotton classed:

January 3, 2002 QUALITY STAPLE LEAF COLOR 26 & -28 29 30 32 33 34 35 36 37 38 39 40 & + TOTAL Pct. 1-2 3 62 4 5 6 TOTAL-1-2 3 13 & 23 4 5 6 TOTAL-1-2 3 33 4 5 6 TOTAL-1-2 3 43 4 5 6 TOTAL-1-2 3 53 4 5 6 TOTAL-1-2 3 63 4 5 6 TOTAL-24-54 1-7 25-35 1-7 81-85 1/ 1-7 All Colors 8 2/ TOTAL, ALL-100.0 1.2 10.5 34.6 38.9 13.6 1.1 EXTRANEOUS MATTER 34.6 Average Staple Percent Tenderable 85.1 2.3 Bark - Level 1 Bark - Level 2 Grass - Level 1 0.4 Grass - Level 2 Prep - Level 1 0.1 Prep - Level 2 Other - Level 1 Other - Level 1

102,251 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. "Less than 0.05 percent.

Table 8. -- Georgia: Percent distribution of color, leaf and staple for upland cotton classed:

		100			. 1 01001			y 3, 200	2							
QUALITY	LEAF								STAPLE							
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	1-2			*			0.1 0.3	0.4 1.8	0.9 4.4	0.6 3.2	0.1 0.8	0.1		-		2.1 10.7
11 & 21	4		-			*	*	0.1	0.2	0.2	*	*			-	0.5
	5		-	-		-	*			*	*	-	•	-	-	*
	6	-	-	•	•	-	-			-	-	-	•	-	-	
TOTAL-	7	-	•	-	-	-	0.3	2.3	5.5	4.0	0.9	0.1	*	-		13.2
TOTAL-	1-2	-		*	*	*	0.3	0.7	1.0	0.4	0.1	*	*		-	2.3
	3	_		*	*	0.3	2.3	10.0	19.0	11.4	2.7	0.5	*	-		46.1
31	4	-	•	*	*	*	0.2	1.2	2.7	2.0	0.6	0.1	*	-	-	6.8
	5	-	-	•	-	*	*	*	- :	*	*		*	•	-	0.1
	6 7		-		•			•	*						-	
TOTAL-		-	-		*	0.3	2.7	11.8	22.7	13.8	3.3	0.6	*	-	-	55.3
	1-2	-	•	-	*	*	*	0.1	0.1	0.1	*	*			-	0.4
	3	-	-	*	*	0.1	1.0	3.8	7.2	4.7	1.2	0.2	*	•	•	18.2
41	5		•				0.3	1.3	2.7 0.1	2.0 0.1	0.6	0.1		•		7.1 0.3
	6				*	*			*	*	*	*				=
	7			-	-	-	*	*		*	*	*	•		-	
TOTAL-		-	•	*	*	0.2	1.4	5.3	10.1	6.9	1.8	0.3	*	•	-	25.9
	1-2	-	•	-		*	0.1	0.5	0.1 1.0	0.7	0.2	*		-	•	0.1 2.6
51	4				*		*	0.5	0.3	0.7	*	•		-		0.7
	5	-		-	*	*		*		*	*	•	-	-	-	0.1
	6	-	•	-	*	*	*	*	*	*	*	*	•	-	-	:
TOTAL-	7	-	-	*	*	*	0.2	0.7	1.4	0.9	0.2	*	*	-	-	3.5
TOTAL	1-2	-	-			*	*	*	*	*	*	•			-	*
	3	-			*	*		*	*	*	*	*	*	-	-	
61	4	-	•	•	*	*	*	*	*	*	*	*	*	•	-	-
	5	-	•	-	•	*	•	*			•	•	•	-	-	
	6 7											-			_	
TOTAL-		-	•	•	*	*	#	*	*	*	*	*	*	-	•	0.1
	1-2	-	•	-	•	•	*	•	•	-	-	-	•	•	-	*
71	3 4		•	•	•	*	*			•			•	-	•	
/1	5						•	-						-		•
	6	-	-		-	-	-	•	-	-	•	*	•	-	-	*
	7	-	-	•	-	-	•	*	-	-	-	*	-	-	-	*
TOTAL-	1-2	•	-	-	-	*	*	•	•	*	*		•	•	-	*
	3							*	*	*	*			-		
12 & 22	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	•	•	-	-	•	*	*	•	•	-	•	-	*
	6 7			•						-		-		-		
TOTAL-				*		*	r	*	*	*		*	•	-	-	0.1
	1-2		•		*	*	* *	*	*	*	* *			-		*
00	3	-	•	*	*	*	0.1	0.2	0.1	0.1	*	*		-	•	0.5
32	5			-		*		*	0.1						•	0.2
	6	-	-	-	-				*	*				-		
	7	•	•	-	•		-	*	*	-	-	•	-	-	-	
TOTAL-		-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	*	-	-	0.8
	1-2	-		*			0.1	0.1	0.2	0.1		*		-	•	0.5
42	4			*	*	*	*	0.1	0.2	0.1			*	-		0.5
	5		-	-		*	*	*	*	*	*		-	-	-	•
	6	•	•	-	•	•	*			*	*	*	•	-	•	*
TOTAL-	7	-	-	*	*	*	0.1	0.3	0.3	0.2	*	-	*	•	-	1.0
.0122	1-2	•	•				•	*	*	*	*	•	-			*
	3	-	-			•	*	*	*	•	*	•	-		-	•
52	4	-	-	-	-	•	*	*	*	*	•	*	•	-	-	*
	5	•	-	•	-	•			*	*	*		*	•	•	
	6 7								*							
TOTAL-		-		-	*	*	*	*	*	*	*		*	•	-	0.1
Less than 0.05 pe	ercent															

Less than 0.05 percent.

Table 8. -- Georgia: Percent distribution of color, leaf and staple for upland cotton classed:

	11	1					Januar	y 3, 200	2		-piario o					
QUALITY	LEAF								STAPLE							
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	1-2	-	•	-	-	-	-		*	•	-		-	-	-	*
	3	•	•	-	-	*	*	*	*	*	*	*	-	-	-	*
62	4 5	•	-	-	-	-	*	*	*		*	*	-	-	-	*
	5 6			-	•	•	-	•		*	*	-	-	-	-	*
	7					_				•	-	-	•	-	-	
TOTAL-			-	-			*	#	*	*	*		-		-	*
	1-2	-								*		-				*
	3	-	-	-	-	-	*	*	*	*	*	*		_		
13 & 23	4	-	-	•	-	-		-	-		*		-			*
	5	-	-	•	-	•	-	-	-	•	*	-	-	-	•	
	6 7	-	•	•	•	-	-	-	•	•	-	•	-	•	-	•
TOTAL-		-			-	-	*	*	*	•	*	-	-	-	-	•
TOTAL	1-2					*	*		*	*	*	-	•		•	•
	3															
33	4			-		•					*					
	5		-	•	-		-		*		*	*	•		-	*
	6	-	-	•	-	•	-	-	*		-		-	-	-	*
	7	-	•	-	•	-	-		-	•	-	-	•	•	•	•
TOTAL-		-		•	-	*	*	*	*	*	*	*		•	•	*
	1-2	-	-	•					•		-		-	-		
43	3 4	_	_	•			*		*				-	-	•	
70	5						*		*							
	6	-	-	-		-										
	7	-	-		-	-	-	-	*		-		-	-		
TOTAL-		-	-	•	*	•	*	*	17		*	*		-		*
	1-2	-	-	-	•	•	-	-	-		-	•	-	•	-	Ŕ
	3	•	-	-	•		*		*		*	•	•	•	•	
53	4		-	-	*					*		-	-	•	•	
	5		-	_		-			_		-	•				
	7															*
TOTAL-		-	-				*	*	*	*	ph.	-	-			
	1-2						-		-	-			•	-		
	3	-	•	*	•	-	-	*	•	*	*	•	-	•	-	*
63	4	-	•	•	-	-	-	•	*	-	*	•	-	•	-	*
	5	-	-	•	-	•	•	:	•	-	-	•	-	-	•	:
	6 7	-	-	•	•	•	•		•	•		•	-	•	•	
TOTAL-		-	-	•	-	•		*	*		*	-			-	*
24-54	1-7		-		-		-		*		*	*	-		-	*
25-35	1-7	-	-						-		-					
81-85 1/	1-7	-	-	-	-										-	*
Afl Colors	8 2/	-	-	-	•	•					*	•		-	•	*
TOTAL, ALL-		•	-	*		0.7	4.8	20.7	40.3	25.9	6.4	1.1	*	-	*	100.0
EXTRANEOUS MA	TTER												Av	erage Sta	ple	34.1
Bark - Level		4.4											Perc	ent Tende	erable	84.4
Bark - Level		1.1														
Grass - Level		0.6														
Grass - Level																
Prep - Level	1															
Prep - Level	2															
Other - Level	1															
Other - Level	1	-	4/D=1 - 1		C/D		Leef T1	one than 1	0F ====	ont						
2,083,367	Bales cl	assed.	1/ Relow (arade Col	or. 2/ Bel	ow Grade	Leaf L	ess than (.us perc	ent.						

Table 9. – *Louisiana*: Percent distribution of color, leaf and staple for upland cotton classed: January 3, 2002

QUALITY	I						Januar	y 3, 200	2 STAPLE	:						
GOALITY	LEAF								STAFEL							
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	1-2		•	-					0.1	0.1						0.1 0.2
11 & 21	4								0.1	0.1						=
11021	5		_			_				-		-	-	-		
	6	-	-	-	-	-	-	-	-	-		-	-	-	-	-
	7	-	-		-		-	-	•	•		-	-	•	-	
TOTAL-		-	-		•	•	*	*	0.1	0.1	*	*	*	•	-	0.3
	1-2	-	•	•			*	0.4	0.6	0.3	*	*	*			1.4 14.4
31	3 4		-	-			0.3	2.5 0.1	5.6 0.3	4.4 0.5	1.3 0.3	0.2				1.3
31	5		_		_	_		*	*	*	*	*		-		*
	6	-	-	-		-				-	-	-	-	-		-
	7	-	-	•	-	-	-	-		•		-	-	•	•	-
TOTAL-	-	-	-	-	•	*	0.4	2.9	6.5	5.3	1.6	0.3	*	*	-	17.0
	1-2	-	-	-	-	*	0.1	0.3	0.3	0.1	*	*	*	*	-	0.7
44	3	-	•	-			1.2	6.9	13.1	8.4	2.0	0.4	0.1		•	32.1
41	4	-	-				0.1	1.2	3.8	4.5 0.1	1.9 0.1	0.5	0.2		-	12.2 0.3
	6	-								0.1	0.1	*			-	=
	7							-						-	-	
TOTAL-	-	-	-	-			1.4	8.3	17.3	13.1	4.1	0.9	0.3		-	45.3
	1-2		-	-	•	-			*				•	-	-	•
	3	-	•	-	-		0.1	0.4	0.7	0.4	0.1				•	1.6
51	5	-		•		Ţ		0.3	0.7	0.8	0.3	0.1			_	2.2 0.2
	6									0.1						0.2
	7	-			-	-						-			-	
TOTAL-			-	-			0.1	0.7	1.5	1.2	0.4	0.1			-	4.1
	1-2			-	•	-	•	-	-	-	•	-			•	-
	3	-	•	•	•	-	*	*	*		*	-	•	•	•	*
61	4	-	•	-	-	-	•							•	•	
	5															
	7										_			-		
TOTAL			•	~	-	-	*	*	*	*	*	*	*	*	-	*
	1-2	-		-	-			•	•		-	•		•	•	•
	3	-	•	-	-	-	•	•	•	•	•	•	•	-	-	-
71	4	-	-	-	•	•	-	•	•	-	•	•	•	•	-	-
	5		-		-	-		•		-		•	•	•	_	
	7	-	_	-	-									-		
TOTAL		-		-				•		-	-	-	-	-		-
	1-2	•		-	-	-	*	*	*	*	*	•	•	-	-	*
	3	-	-	-	•	-	•	*		*	*	*	-	•	-	*
12 & 22	4	-	-	-	-	•	•	-	•	*	•	-	-	•	-	*
	5	-				-			•	•	•	•	•	•	•	-
	7							-					_			
TOTAL-		-	-	-		-	*	*	*			*	•	-	-	*
	1-2	-		•		*	*	*	*	*	*	*	-	-	-	0.1
	3	•	-	•	•	*	0.1	0.7	0.9	0.5	0.1	*	*	-	•	2.3
32	4	-	•	•	•	*	*	0.1	0.2	0.2	0.1	*	*	•	•	0.5
	5					-							-			
	7				-	-				-					-	-
TOTAL-		-	•	~	-	*	0.1	0.8	1.2	0.6	0.2	*	*	-	-	2.9
	1-2	•	-	-		*	*	0.1	0.1	*	*	*		•		0.2
	3	-	-	-			1.2	3.9	4.6	2.0	0.3				-	12.1
42	4	-	•	-	-		0.4	1.6	2.8	2.0	0.6	0.1		*	•	7.5
	5	-	-	•					0.1	0.1				-		0.3
	7												_			
TOTAL-	·	-					1.5	5.7	7.6	4.2	1.0	0.1	-	-	-	20.1
	1-2			-	-				*	*	•	-		-		1
	3		-	-		•	0.3	8.0	0.8	0.3	•			-	-	2.2
52	4	•	-	-	*	•	0.2	8.0	1.3	0.9	0.2				-	3.4
	5		-	-	•		•	•	0.1	0.1			*		-	0.3
	6 7	-	-	-	-						:	•	-	•	•	
TOTAL-		-	-	-	-	-	0.5	1.7	2.1	1.3	0.3	•	•		-	6.0
Less than 0.05 pe	oroont										0.0					0.0

Less than 0.05 percent.

Table 9. – Louisiana: Percent distribution of color, leaf and staple for upland cotton classed:

January 3, 2002 QUALITY STAPLE LEAF COLOR 26 & -28 29 30 32 33 TOTAL 34 35 36 37 38 39 40 & + Pct. 1-2 3 62 4 5 6 TOTAL-0.1 1-2 3 13 & 23 4 5 6 TOTAL-1-2 3 0.1 0.1 33 4 5 6 TOTAL-0.1 0.2 1-2 3 0.1 0.4 0.5 0.2 1.3 43 0.1 0.2 0.2 4 0.3 8.0 5 6 TOTAL-0.2 0.6 0.8 0.5 0.1 2.2 1-2 3 0.1 0.2 0.2 0.1 0.6 53 0.1 0.2 0.3 0.2 0.7 4 5 0.1 6 TOTAL-0.2 0.5 0.4 0.2 0.1 1.4 1-2 0.2 3 63 4 5 6 TOTAL-0.1 0.2 24-54 1-7 0.1 1-7 25-35 81-85 1/ 1-7 All Colors 8 2/ 100.0 0.4 TOTAL, ALL-0.1 4.5 37.7 1.5 0.1 21.4 EXTRANEOUS MATTER 34.2 Average Staple Percent Tenderable 43.2 Bark - Level 1 0.7 Bark - Level 2 0.9 Grass - Level 1 Grass - Level 2 Prep - Level 1 Prep - Level 2 Other - Level 1 Other - Level 1

1,044,445 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. "Less than 0.05 percent.

Table 10. -- Mississippi: Percent distribution of color, leaf and staple for upland cotton classed:

COLOR LEAF 26 & 26 & 20 & 30 & 31 & 32 & 33 & 34 & 35 & 36 & 37 & 30 & 39 & 40.8 + TOTAL COLOR 12 & 24 & 26 & 20 & 50 & 31 & 32 & 33 & 34 & 35 & 36 & 37 & 30 & 39 & 40.8 + TOTAL COLOR 12 & 24 & 24 & 24 & 24 & 24 & 24 & 24 &	OLIMITY.	П						Januar	y 3, 200	2							
COLOR	QUALITY	LEAF	ļ							STAPLE							
116 21	COLOR									34			37	38	39	40 & +	
11 6 2 1		1.2	Pct.	Pct.	Pct.	Pct.									Pct.	PCI.	
TOTAL		H		-		*						0.1		*	-		1.9
TOTAL	11 & 21		-	-	•	-			*					-	-	-	
TOTAL		В		-	•	•	•	•	•		_		•	•	-		
1-2				-	-			-					-	-			
3	TOTAL-		-	-	-	*	*							-	-	-	
31		II .	-	-	-									- :	-	-	
S	31		-	-		*	*	U.5 *									
TOTAL—		5			-		-	*		*	*	*		-	-	-	
TOTAL			-	-	-	-	-	*	-	-		*	-	-	-	•	*
1.2	TOTAL	-		•	-	*	-	0.6	5.2			2.7	0.3	*	*	•	
194		1-2	-		-	•	*							•	•		
S			-	•	•	*	•		3.7	8.3					*	•	
TOTAL	41	B .	-		•	•			1.3				0.4	*	•		
TOTAL— TOTAL—									*	*				-	-		
1-2		N .	-	-	•			-	•	*	*		*	-	-	-	
51	TOTAL		• 1	•	•	•	*	0.6			11.0	3.9	0.6	*	*	*	34.7
51		01					*				0.1						0.4
TOTAL	51		-	-	-	*	*	•				0.2	*	•	-	-	1.0
TOTAL— TOTAL—		H	-	•	•	•	*	:			:		:	•	-	•	
TOTAL— 1.2 1.3 61 81 1.4 1.5 61 1.5 61 1.6 1.7 TOTAL— 1.2 1.2 1.2 1.3 1.4 1.5 1.5 1.5 1.5 1.5 1.5 1.5			-			-	-			*	*	•	_		-		*
61	TOTAL-		-	•	-		*	*	0.2	0.5	0.5	0.2	*	*	*		1.5
61			-	•	•	-	•	-		*	-	•	-	-	-	•	*
TOTAL— TOTAL—	61			-	•	-	-					•		•	-		*
TOTAL— 1-2 1-2 3	01	Į.				-	-	-	•	•	•					_	
TOTAL— 1-2 1-3 3			-	-	•	-	-	-	•	•	*	•	-	•	-	-	*
71	TOTAL	7	-	-:-		•		•	•		-		· ·	•			
71	TOTAL	1-2	-			-	-	•	-				-	-	-		-
TOTAL— 1-2 1-2 3		H I	-	-	-	-	-	-	-	-	-	-	-	-		-	-
TOTAL— TOTAL— 1-2 3	71	R I		-	-	•	•	•		-	•	•	•	- 1	-	•	-
TOTAL— 1-2 3		R I			-		-	-			-						
1-2		7	-	-	-		-		-		-	-			-	-	-
12 & 22 3	TOTAL—	1.2	-	•	-	•	-	-	-	-				-		-	
12 & 22					-											-	
TOTAL— TOTAL— 1-2	12 & 22	4	-	•	-	*	-					•	*	*	-	-	
TOTAL— 7			•	•	•	•	•	-	-	•		•	-	•	-	-	
1-2								-	-								
32	TOTAL-		-	•	-	*		•					*		-	-	
32			•	•	-									:		-	0.2
TOTAL— TOTAL— 1-2 1-2 1-2 1-2 0.5 0.5 0.6 3	32			-	-								*	•			1.2
TOTAL— 7	-	5	-	•	-	•									-	-	
TOTAL— 1-2 1-2 1-2 3			-	•	-	-	•	-	•				•	•	•	-	
1-2	TOTAL—		-	-	-	*								*		-	
42			•	•	•	*	-					•		-	•	•	
5	40	4 8	•	-	-	*										-	
TOTAL— TOTAL— 1-2	42				-												
TOTAL— 1-2 1-2 3 " " 0.7 4.3 8.1 5.3 1.6 0.2 " " - 20.3 3 " " 0.2 0.3 0.1 " " " - 0.7 52 4 " " 0.1 0.3 0.6 0.5 0.1 " " 1.7 5 " " 0.1 0.1 0.1 0.1 " " 0.2 6 " " 0.1 0.1 0.1 " " 2.6 TOTAL— TOTAL— " " 0.1 0.6 1.0 0.7 0.2 " 2.6		8	-	-	-	-	-							-		-	
52 1-2	TOTAL	7	-	-	-	-	-:								•	-	
52	IUIAL	1-2	•	-									0.2		-		20.3
52				-	-	*											
7	52	1 0	-	-	•	*			0.3	0.6	0.5		*			-	1.7
7			•	-	-					0.1				*	٠	•	
				-						•	*	-					
			•	•	-	*	-	0.1	0.6	1.0	0.7	0.2		•	-	•	2.6

Less than 0.05 percent.

Table 10. -- *Mississippi*: Percent distribution of color, leaf and staple for upland cotton classed: January 3, 2002

							Januar	y 3, 2002	2							
QUALITY	LEAF								STAPLE							
COLOR	LEAF	26 & -	28	29	20	04	00	-								
COLOR		Pct.	Pct.	Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	34 Pct.	35 Pct.	36	37	38	39	40 & +	TOTAL
	1-2	-		r Ct.	FUI.	FCI.	PCI.	PCI.	PCI.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	3											•	•	-	-	
62	4	_		_			*					-	-	•	•	
02	5	_		_								-	-	-	-	
	6						_					-	•	-	-	
	7	_	_								•	-	-	•	•	
TOTAL-		-		-	-	-	*			-	-	-	-	-		
	1-2	-							-							
	3	_												-	-	
13 & 23	4	_								*				_		
	5											_				
	6															
	7							_								_
TOTAL-		-	-	-		-									-	-
	1-2		-						-		*					*
	3			_				*	0.1	0.1			-			0.2
33	4		_	_						*				_		0.1
	5		_										-			=
	6	-	_			_			_					_		
	7	-														
TOTAL-		-	-	-	-	-	*		0.1	0.1				-	-	0.3
	1-2	-										-		-	-	
	3				-			0.2	0.3	0.2	0.1					0.8
43	4	-	-		*			0.1	0.3	0.2	0.1		*			0.8
	5	-	-			-		*								0.1
	6	-	-	-		-										
	7	-	-	-								-	-	-		
TOTAL		-	-	-			0.1	0.3	0.6	0.4	0.2			-	-	1.6
	1-2	-	-	-								-				
	3	_	-					0.1					-	-		0.2
53	4	-	-	-	*	*		0.1	0.1	0.1				-		0.3
	5	-	-	-	-	*			*				-	-	-	*
	6	-	-	-	•	-	•	*			*		-	-	-	
	7	•	•			-	•				-	-	-	-	-	
TOTAL		-	-	-	II .		0.1	0.2	0.2	0.1				-	-	0.5
	1-2	-	-	-	-	-	-	•	•	•	-	-	-	-	•	•
	3	-	•		-	*			•			-	•	-		
63	4	-	•	-	-					•	•	-	•	-		
	5	-	-	-	•			•			-	-	-	•	-	
	6	-	-	-	-	-	•	-	•	•		-	•	-	•	
	7	-	-	-	•	•	-	-	•	•		-	-	-	•	
TOTAL-		-	•	•	•						•	-	-	-	-	
24-54	1-7	-	-	•					0.1					-	-	0.2
25-35	1-7	•	•	-	-		-	•		-		-	-	-	-	-
81-85 1/	1-7	•	-	-	-								-	-		
All Colors	8 2/	-	-	-	-	-							- 0.4	-	-	100.0
TOTAL, ALL-		-	-	-		0.1	2.6	17.9	39.6	29.0	9.5	1.3	0.1			
EXTRANEOUS MA	TTER												AV	erage Sta	pie	34.3
Bark - Level Bark - Level		0.8											Perce	ent Tende	erable	43.2
Grass - Level		0.4														
Grass - Level																
Prep - Level																
Prep - Level		*														
Other - Level	1	*														
Other - Level	1															
2,287,315	Bales cl	assed.	1/ Below 0	Grade Col	or. 2/ Bel	ow Grade	Leaf. L	ess than (0.05 perce	ent.						

Table 11. -- *Missouri*: Percent distribution of color, leaf and staple for upland cotton classed: January 3, 2002

							Januar	y 3, 2002	2							
QUALITY	LEAF								STAPLE							
COLOR	LEAF	26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	1-2	-	-	-	-				0.1	0.2	0.1		-	-	-	0.4
	3	-	-	•	-	-			0.1	0.4	0.3	0.1	*	-	•	0.9
11 & 21	4	-	-	-	-	-	•	*		*	*		-	•	•	0.1
	5		-		-	_										
	7		-	_	-	_	_			_	-	-		-	-	
TOTAL-		-	-	-	-	*	#	*	0.3	0.6	0.4	0.1	*	•		1.4
	1-2			-	-	•	*	0.2	1.0	1.5	0.8	0.1	*	-	-	3.5
	3	-	•	-	-	*	*	0.4	2.9	7.5	7.8	1.7	*	•	-	20.4
31	4	-	•	•	•	-	*	*	0.4	1.5	2.3	0.6	*	•	•	4.7
	5	-	•	•	•	•	•	_		*						0.1
	7			_		_										
TOTAL-		-	-				*	0.7	4.3	10.5	10.9	2.3	*	-		28.7
	1-2	-	-	•	-	*	*	0.1	0.5	0.7	0.3	*		-	•	1.6
	3	-	-	-	-	*	•	0.6	4.2	11.7	11.1	2.6	*	•	-	30.2
41	4	-	-	-	-	•	*	0.2	1.5	5.1	6.4	1.7	*	-	•	14.9
	5	-	•	•	•	•	*	*		0.3	0.3	*	*	•	•	0.6
	6 7							-								
TOTAL-	,	-	•	•	-			0.9	6.2	17.7	18.1	4.4	*	-	•	47.3
	1-2	-				-	•	*	*	0.1	*	*		•		0.1
	3	-	-	-			*	0.1	0.9	2.3	2.3	0.4	*			6.0
51	4	-	•	•	•	*	*	*	0.4	1.3	1.6	0.4	*	-	•	3.7
	5	-	-	-	-	•	*	*		•	•	*	-	•		0.1
	6 7	•	•	•	•	•	•	•	•	•	•		•	*	•	•
TOTAL-		-		-		•	*	0.2	1.4	3.7	3.9	0.8	*	-		10.0
TOTAL	1-2	-					-	*	*	*	*	-				*
	3	-		-	-	-				*				-		
61	4	-	-	-	-	-	*	*	*	*	*	*	•			*
	5	-	-	•	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	•	-	-	-	*	*	*	-	•	-	-	•	*
TOTAL-	7	-	-		-	-	*	*	*	*	*	-			•	*
TOTAL	1-2			-		-									-	
	3		-	-		-								-		
71	4	-	-	-		-	-	•	•	-	*	•	•		-	*
	5	-	•	-	•	•	-	•	•	-	-	•	•	-	-	-
	6	-	-	•	•	•	•	•	•		•	•	•	•	-	•
TOTAL-	7	-		-				-	•	•	*	•		-	•	*
TOTAL	1-2			-		-	•	•	*****	*	*		-	-		*
	3	-	-				*	*	*		•	*	-	_		•
12 & 22	4	-				•		•	*	*	*	*		-	-	
	5	-	•	•	-	-	•	•	•	•	*	-	-	•	*	*
	6	•	•	•	•	•	•	•	•	•	•	•	•	-	-	•
TOTAL-	7	-	-	-:-		-	*	•	*	*	*	*	-	-	-	0.1
TOTAL	1-2	-	-		-		*	*	*	*	*	*	•			0.1
	3	-					*	*	0.2	0.4	0.5	0.1	*	-		1.2
32	4		•	•	•	•	•	*	*	0.1	0.2	0.1	*	-	-	0.5
	5	•	•	•	•	•	•	-	*	*	*	*	•	-	•	*
	6 7	•	•	•	•	•	•	•	•	•	*	•	•	-	-	*
TOTAL-	-		-	-	-	-	*	#	0.2	0.6	0.7	0.2	*	-	-	1.8
	1-2	-	-	-			*		*	*	*	*	*		-	0.1
	3				-		*	0.1	0.4	1.5	1.9	0.5				4.5
42	4		-	-		•		*	0.2	0.8	1.5	0.5				2.9
	5	-	-	•	-	•	*	*	*	*	*	*	•	•	•	0.1
	6	•	-	•	-	-	-	*	*	*	*	-	-	•	-	*
TOTAL-	7	-	-	-	-	*	*	0.1	0.6	2.4	3.4	1.0	*	•	-	7.6
TOTAL	1-2	-		-			*	*	*	*	3.4	*		-	-	7.6
	3							*	0.1	0.4	0.4	0.1	*			1.1
52	4						*	•	0.1	0.3	0.4	0.1	*	-		0.8
	5	•	-	-	•	-	-	*	*	*	*	*		-		*
	6	•	-	-	-	•	٠	•	*	*	*	•	٠	-	•	*
TOTAL	7	•	-	-	•	•	•		-	*		•	-	•	•	*
TOTAL-			•	•	-				0.2	0.7	0.8	0.2	-	•	-	2.0

Less than 0.05 percent.

Table 11. -- *Missouri*: Percent distribution of color, leaf and staple for upland cotton classed: January 3, 2002

							Januar	y 3, 200	2							
QUALITY									STAPLE							
001.08	LEAF															
COLOR		26 & -	28 Pct.	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
	4.0	Pct.	PCt.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	1-2	•	•	•	-	-	•			-	-	-	•	-	-	*
62	4		•	•	•	•	•						•	•	•	
02	5			•	-	•	•					•	•	•		
	6					•	•				-	-	•	-	•	
	7				-		•	•	•		•	•	•	-	-	
TOTAL-	-	-	-					-	*	*	*		•		•	*
TOTAL	1-2							*	*	*	*		•	*	•	
	3					_		*	*				•	•	•	
13 & 23	4												•	•	•	*
10 0 20	5								-				•	*	•	
	6															
	7							_					_	-	_	
TOTAL-	1	-				-	-				*		-	-		*
	1-2						*	•	*	*	*					*
	3							*	*			*				0.1
33	4		_					*	*	*						*
	5					-	_				*					
	6					-							_			
	7						-	-	-				-	-	-	
TOTAL-		-			-	-	*	*	*	*	0.1		-	-		0.1
	1-2	-			-	-		*	*	•	*			-		*
	3	-	-			-	*	*	*	0.1	0.2	*	*			0.4
43	4	-	•			-	-	•	*	*	0.1		*	-		0.2
	5	-	-	•	-	-	-					*		-		*
	6	-			•	-	-	-			-	*	-	•	-	*
	7		-		-	•	-	•	•		•			-	•	
TOTAL-		-		-	-	-		1		0.2	0.3	0.1	*	•		0.6
	1-2	-	•	•	•	-	-	-	*	•	*	-	•	-	•	*
	3	-	•	•	-	*	*	*	*	*	*	*	•	-	•	0.1
53	4		*	•	•	-	-	*	* -	*	*	*	•	-	•	0.1
	5		•		•	•	-	•	*		*	*	•	-	•	*
	6	-	-		•	•	-	•	•		*		•	•	-	
70741	7	-			•	-	*	*	**	*	*	*	•			0.1
TOTAL—		-	-	•									•	-	-	0.1
	1-2		•		•	-	-	•				•	•	•	•	
00	3		•		•	•	•	•	*			-	•			*
63	4	•	•	•												
	5			-												
	6 7	-	i													
TOTAL-		-		-						*		-	-			*
24-54	1-7						*		*	*			*		-	0.1
25-35	1-7											4				-
81-85 1/	1-7								*		*	*				
All Colors	8 2/							-		*	*				-	*
TOTAL, ALL-			-			_*	0.1	2.0	13.3	36.5	38.8	9.2	*		-	100.0
EXTRANEOUS MA	TTER												Av	erage Sta	aple	35.4
Bark - Level Bark - Level Grass - Level Grass - Level Prep - Level Prep - Level Other - Level	11 2 11 12 11 12 12 12	0.2											Perc	ent Tend	erable	64.4
Other - Level																
671.852		assed	1/ Below (Grade Co	lor, 2/ Bel	ow Grade	Leaf. L	ess than	0.05 perce	ent.						

671,852 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. *Less than 0.05 percent.

Table 12. – *New Mexico*: Percent distribution of color, leaf and staple for upland cotton classed:

January 3, 2002

CHALITY	П	Я					January	/ 3, 2002	CTADLE							
QUALITY	LEAF		_						STAPLE							
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	1-2		-	-	•	_	0.2	2.5 0.1	10.1 0.5	13.9 0.4	17.2 0.9	18.3 4.7	6.5 5.6	2.1 3.6	0.2 0.7	71.0 16.6
11 & 21	4						*		0.5	=	*	0.4	0.4	0.4	0.2	1.4
	5	-	-	-	-	-	-	-	•		*		-			*
	6	-	-	-	-	-	-	•	-	-	-	-	-	-	-	•
TOTAL-	7	-	-	•	-	*	0.3	2.7	10.5	14.3	18.2	23.4	12.4	6.1	1.0	89.1
TOTAL—	1-2	-	•	•	-		*	0.3	0.5	0.5	0.5	0.7	0.2	0.1	*	2.7
	3						0.1	0.1	0.2	0.2	0.3	0.9	0.7	0.6	0.1	3.1
31	4	-	-	•	-		*	•	*	*	0.1	0.3	0.4	0.4	0.1	1.5
	5	-	-	•	-	•	-	-	w	*	*	*	*	*	*	0.1
	6 7	-	-	•	•	•	•	•	•	•	*	•	*	-		
TOTAL-		-		•	-		0.1	0.4	0.7	0.8	0.9	1.9	1.4	1.1	0.3	7.5
	1-2	-		-	-	-	•	*	*	*	*	*	*	-		0.1
	3		-	•	-	-	*	*	*	*	*	*	*	-	4	0.2
41	4	-	-	•	•	-	*	*	*	*	0.1	0.1	*	*	-	0.2
	5	-	-	•	•	-	•	•								0.1
	6 7										*	*				
TOTAL-		-	-	•	•	-	*	*	0.1	0.1	0.2	0.2	0.1	*		0.7
	1-2			٠	-	•	•	-	•	•	-	-	•	-	-	
	3	-	•	•	•	•	•	•	•	•	•	*	•	-	•	•
51	5			-		•	•					•				
	6		-			-	-	•	-		*					*
	7	-	•		-		-			-	-	-	-	-	-	
TOTAL-		•		-		•	•	•	•	*	*	*	-	-	-	*
	1-2	•	•	-	•	•	-	•	•	-	-	•	•	-	•	•
61	3 4	-	-		-	-		•	•	•	•	•	•	-		•
01	5	-		-	-	-								-		
	6	-	•	-	-	-	-	•	-	-	-	-	-	•		•
	7	-	-	•	-	-	-	-	-	-		-	-	-	•	-
TOTAL-	1-2		-	•	-	-	•	-	-	•	-	-	•	-	•	-
	3	-				-				-					-	-
71	4	-	-		-	-	-	-			•					
	5	-	•	-	-	-	-	-	-	-	-	-	-	-		-
	6	-	•	-	-	-	•	•	•	-	-	-	-	-	-	-
TOTAL-	7	-	-	-	•	-	•	-	•		-	•	-	-	-	-
	1-2		-				*	*	0.1	0.2	0.2	0.1	*	*		0.7
	3	-	-		-	-	*	*	*		0.1	0.2	0.2	0.3	*	0.9
12 & 22	4	-	-	-	-	•	•	*	*	•	*	0.1	*	0.1	•	0.3
	5				-	-		-			-	•	•			
	7		-		-				-							
TOTAL-		-	-	•	-	-	*		0.2	0.2	0.3	0.4	0.3	0.4	0.1	1.9
	1-2	-	-	-	-	-			:	*		**	*	*		0.1
20	3		•	•	-	•	•					0.1	0.1	0.1		0.3
32	5											0.1	0.1	0.1		0.3
	6	-	•	-	-	-					-					-
	7	-	•	-	•	-	•	•	-	•	-	-	-	-	-	-
TOTAL-		•		-	-			-	-	-	-	0.2	0.2	0.2	-	0.7
	1-2	•	-	-	-	•	•		:	•		:	-	-	-	*
42	3 4															
, <u>-</u>	5		-	-	-	-		•		-	-			-		*
	6	•	-	-	-	•	•	-	-	•	-	-	-	-	-	-
TOTAL	7	•	-	-	•	-	•		-	-	-	-	-	-	-	<u> </u>
TOTAL-	1-2		-			-	-							-	•	
	3								-						-	
52	4	•	•		-	•	•			•		-		-	-	
	5	•	-	•	-	-	•	-	-	-	*	*	•	•	-	r
	6	•	-	•	•	-	•	•	•	•	-	•	•	•	-	•
TOTAL—	7	•	•		-	-	-	-		-	*	*	-	•	•	-
- TOTAL														-	-	

Less than 0.05 percent.

Table 12. -- New Mexico: Percent distribution of color, leaf and staple for upland cotton classed:

·							Januar	y 3, 200	2		or apia.i.	4 0011011	ciassea.			
QUALITY	LEAF								STAPLE							
COLOR	LLA	26 & -	28	29	30	31	32	33	34	35	36	27	20	20	40.0	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.	TOTAL Pct.
	1-2	-	-	-	-	•	-		-		-	-		-		-
00	3	-	•	-	-	•	-	-	-	-		-	•	-		-
62	5		-	-	•	-	-	•	•	-		-	•	•	-	-
	5			-	•	•	-	•	•	-	*	-	•	•		-
	7										-	-	•	-	-	•
TOTAL-		-	-			-	-	-		-	-	-	-	•	-	
	1-2	-	-	-	-	-	-		*	*	÷	*	-			
	3	-	•	•	-		-	*	*	*	*	*	*			0.1
13 & 23	4	-	•	•	•	-	-	-	-	-	-	-		*	-	*
	5	•	•	•	-	-	-	-	•	-	-	-	-	۰	•	-
	7					-	-	•	-	-	-	-	•	•	-	•
TOTAL-		-					-	*	*	*	*	-	-	*	-	0.1
	1-2			-	•	-		•			*	*	*		-	*
	3	-			-	-		*	*			*		*		*
33	4		-		•		-	-	-		-	*	*	*	*	*
	5		•	-	-	-	-			*	-	-			-	*
	6	-	•	•	-	•	-	-	-	-	-	*	•	-		*
TOTAL-	7	<u> </u>		•		•	-	-	-	-	- *	-	-			-
TOTAL—	1-2	-		-	*	•	-		-							0.1
	3								-							•
43	4															*
	5	-	-		-	-		-	-						-	-
	6	-	-	•	-	-	-	-	-	-					-	-
	7	-	•	•	-	-	•	-	•	-		-	-	-		•
TOTAL-	1.0	-	-	•	-		•	-	•	-	•	*	•	•	-	*
	1-2	•	•	-	-	•	*	-	•	-		•	•	•	•	-
53	4															
i	5				-	-	-	-	-	-	-		-	-		
	6	-	-	-	-	-	-	-		-	-	-	-	-		
	7	-	-	•	-	-	-	-	-	•	•	-	-		•	•
TOTAL-		-	•	_		-	-	-	•	-	•	•	•	-		-
	1-2		-	•	•	-	•	-	-	•	•	•	~	•	•	•
63	3						-	-	_	-		-				
03	5												-			
	6		-	-		-	-	-	-			-				
	7	-		•	-	•	•	-		-		•	-		-	-
TOTAL		-	•	-	-	-	•	-	•	-	-	•	•	-		-
24-54	1-7		•	•	•	•	-	•	*	•		*	-	-		*
25-35	1-7 1-7		•	-	•	•		•	-	•	•	•	•	-		
81-85 1/ All Colors	8 2/						-	_		-						
TOTAL, ALL-		-	-				0.4	3.2	11.5	15.5	19.6	26.2	14.4	7.8	1.4	100.0
EXTRANEOUS MA	TTER												Ave	erage Sta	ple	36.3
Bark - Level		0.2											Perce	ent Tende	erable	87.9
Bark - Level	2	-														
Grass - Level		0.3														
Grass - Level																
Prep - Level Prep - Level	2															
Other - Level	1															
Other - Level		-														
53,886	Bales cl	assed.	1/ Below (Grade Col	or. 2/ Beli	ow Grade	Leaf. * L	ess than	0.05 perce	ent.						

Table 13. -- North Carolina: Percent distribution of color, leaf and staple for upland cotton classed:

QUALITY								3, 2002	STAPLE							
	LEAF														40.0	TO:
COLOR	-	26 & -	28 Pct.	29 Pct.	30 Pct.	31 Pct.	32	33	34 Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.	TO
	1-2	Pct.	PCI.	PCI.	PCL.	PCI.	Pct.	Pct.	0.1	0.1	P CL.	=	FGL.	ru.	-	0
	3				*		0.2	0.8	1.7	1.9	0.8	0.1				5
11 & 21	4						U.Z.	0.1	0.3	0.3	0.1					0
11 0 2 1	5							*	*	*	*		-			·
	6		-		-									-	-	
	7	-		-				-		-				-	-	
TOTAL-		-	-			*	0.2	0.9	2.1	2.3	1.0	0.1	-	-	-	6
	1-2	-			*	*	*	0.1	0.2	0.1	*	*		-	-	0
	3	-		-	*	0.1	1.3	6.3	14.4	15.8	7.6	1.1		-	-	46
31	4	-	•	•	*	*	0.3	2.7	7.9	7.8	3.9	0.9	*	•	•	2
	5		-	•	•	*	*	0.1	0.4	0.4	0.1	*	*	-	•	1
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	•	
	7	-	•	•		-	•	*	*	*	*	-	*	-	•	~
TOTAL		•		•		0.2	1.6	9.2	22.9	24.2	11.7	2.0		•	•	7
	1-2	•	•	-										•	•	
44	3	•	•	•			0.3	1.2	2.7	2.8	1.4	0.2		-	•	8
41	5		•	•		*	0.2	1.2 0.1	3.0 0.4	2.9 0.4	1.6 0.1	0.4		•	-	9
	6		•		-	_		0.1	*	*	v. 1					0
	7										*					
TOTAL-					*	0.1	0.5	2.6	6.2	6.1	3.1	0.7	*			15
	1-2						*	*	*	-	*				•	
	3					*	*	*	0.1	0.1		*				0
51	4					*		*	0.2	0.2	0.1	*				0
	5					*		*	•	*		•	*	-		C
	6	-		-	*	*	*		*	•	*	*	•	-	-	
	7	•	•	-	•	•			*	•	*	•	•	-	•	
TOTAL-		-	•	•	*	*	*	0.1	0.3	0.4	0.2	*	*	•	•	1
	1-2	-	•			-	-	-	•	-	-	•	•	-		
	3	-	-	•	•	*	*	*	*	*	*	*	•	-	-	
61	4	•	-	•	*	*	*	*	*	*	*	*	*	-	-	
	5	•	-	-	-	•	*	*			•	•		•	•	
	6	-	•	•	•	•								•	-	
TOTAL-	7	-	-		-	-	-			-		-		-	-	0
TOTAL—	1-2															U.
	3						*									
71	4						*									
•	5						*		*		*		-			
	6						*	*		*	-	-	-		-	
	7	-		ů.	-	-	-	*			*		-			
TOTAL-		-	•	•	-	-	•		*				•	۰	•	
	1-2	•					*			*	*			-		
	3	-	-	-	•	*	*	*	*	*	*		-		-	
12 & 22	4	-	-	•	•		-				*		-	-	•	
	5	-	-	-	•	-	•	•	•	*		-	•	-	-	
	6	-	•	•	•	•	-	•	•	•	-	•	•	•	-	
TOTAL	7	-	•	•	-	•	-	•	•	•	*	-		•	•	
TOTAL-		-	•	•					-				-	•		
	1-2	-	•	•	•				*			-	•	•	•	
20	3	•	•	•						0.1			•	•	•	0
32	5								0.1	0.1			•	•		0
	6								*	*			•			
	7															
TOTAL-			-	-		B	10	0.1	U.1	0.1	*		-	-	-	0
	1-2						*		*	*	*			-		
	3				*	*	*		*		*	*	•			0
42	4			-				*	0.1	0.1	*	*				0
	5		-	-	-		*		*	*	*	*	-			Ŭ
	6			•		-	*	•	•			*	-	-	-	
	7		-	-		•	-	*	*	*	*	*	-			
TOTAL		-	•	•		*	*	0.1	0.1	0.1	*	w		-	-	0
	1-2			-				*			•	-	-	-	•	-
	3	-	•	•	•						*	*	-	-		
52	4	•	•	•	-	*		*			*		*	-	-	0
	5	•	•	•	-	•	*	*		•	*	*	-	-		
	6	•	-	•	-	-		*	*	*	*	*	•	-	-	
					-	2	-	*	*		*	2			-	
TOTAL-	7										*	*	*			0

Table 13. -- North Carolina: Percent distribution of color, leaf and staple for upland cotton classed: January 3, 2002 QUALITY STAPLE LEAF COLOR 26 & 28 29 30 32 39 37 38 40 & + TOTAL Pct. 1-2 3 62 4 5 6 TOTAL-1-2 3 13 & 23 5 6 TOTAL-1-2 3 33 5 6 TOTAL-1-2 3 43 4 5 6 TOTAL-1-2 3 53 5 6 TOTAL-1-2 3 63 4 5 6 TOTAL-24-54 1-7 25-35 1-7 81-85 1/ 1-7 All Colors 8 2/ 16.1 2.9 100.0 33.3 TOTAL, ALL-0.3 2.4 12.9 31.9 EXTRANEOUS MATTER Average Staple 34.6 Percent Tenderable 83.0 1.0 Bark - Level 1 Bark - Level 2 2.0 Grass - Level 1 Grass - Level 2

Other - Level 1 1/ Below Grade Color. 2/ Below Grade Leaf. "Less than 0.05 percent. 1,514,374 Bales classed.

Prep - Level 1 Prep - Level 2 Other - Level 1

Table 14. -- Oklahoma: Percent distribution of color, leaf and staple for upland cotton classed:

January 3, 2002

YTIJAUC			-				variuai	y 3, 200	STAPLE							
COLOR	LEAF	26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	тот
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Po
	1-2	-			*	0.1	0.1	0.3	1.6	6.7	13.5	16.7	4.7	0.7		44
	3	-				0.1	0.2	0.4	0.5	1.5	3.3	3.8	1.0	0.2		11.
11 & 21	4	-	-	-		*	*		0.1	0.1	0.2	0.1	*	-	•	0.
	5	-	•	-	•	-							•	-		
	6	-	-	-	•	-	-	-	•	•	•	•	-	-	•	
TOTAL-	7	-	*	*	0.1	0.2	0.4	0.7	2.2	8.3	17.0	20.7	5.7	0.9	*	56.
TOTAL	1-2		*	*	*	*	0.1	0.4	0.8	1.1	1.6	2.4	0.7	0.1	•	7.
	3	*	*	*	0.1	0.2	0.4	0.9	1.3	1.3	1.5	1.8	0.7	0.1		8.
31	4	-		*	*	0.1	0.1	0.3	0.3	0.3	0.2	0.1	*	*		1.
	5		-		*	*	*	*		*	*	*	-	-	-	0.
	6	-	•	•	•	*	-	*	*	•	•	•		-		1
	7	-	-	•	-	-					-	-	-		•	
TOTAL—			*	0.1	0.1	0.3	0.7	1.5	2.5	2.7	3.4	4.3	1.4	0.2		17
	1-2		-					0.1	0.1	0.1	0.1	0.1			-	0. 3.
41	3 4		*			0.1 0.1	0.2 0.3	0.6 0.7	1.0 0.9	0.9 0.8	0.5 0.5	0.2 0.1		*		3.
41	5					*	0.3	0.7	0.4	0.2	0.1	0.1				1.
	6						*	0.1	0.1		*	*				0.
	7			-	-	*	*	*	*	*		-	-	-	-	1
TOTAL-			*	*	0.1	0.2	0.6	1.7	2.5	2.1	1.2	0.4	*		•	9.
	1-2	•	-	-	•	*	*	•	*	*	*	*	•		•	
	3	•	•	•	*	*	*	*	*	*	*	*	-	-		0.
51	4	-	-	-	:								•	•	•	0
	5			•			0.1	*		*	*		-	•		0.
	7		-	-			*		*				-			0.
TOTAL-			-	-		*	0.1	0.2	0.1	0.1	0.1	*	-	-		0.
	1-2				-	•			•	•		-	-	-	-	
	3	-	-	-	-	-	-	-	*			*	-	-		
61	4	-	-	-	-	-	-	-	*		-	-	-	-	-	
	5	-	•	-	-	•	-	-		-	-	-	-	•	•	
	6		•	•	-	-	-	•	•	•	-	-	-	•	•	
TOTAL-	7	-	•	-	-	-	-				-		-	-	•	
TOTAL	1-2			-				_						-	-	
	3												_			
71	4	-		-	-	-	-	-		-			-			
	5	-	-	•	-	-	-	-	•	-	-	-	-	•		
	6	•	•	•	•	•	-	-	•	•	-	-	-	-	-	
70741	7	-		•	-	•	-	-	- :	-	-	-	•	-	-	-
TOTAL—		•		-	-		-	-		-	-	-	-	-		
	1-2		-				0.1	0.1	0.1	0.4	0.5	0.2			•	1. 1.
12 & 22	4						0.1	U. I	0.1	0.3	0.3	0.1			•	0.
12 0 22	5			-	*					_						0.
	6		-		-	-			-		-	-				
	7		-	-	-	-	•		-	-	-	-	•			
TOTAL		•				0.1	0.2	0.2	0.3	0.8	0.9	0.3	ŵ		-	2.
	1-2	*	*	*	*	*	*	0.1	0.1	0.2	0.1	0.1	*	*	•	0.
	3	*	•		0.1	0.1	0.2	0.4	0.5	0.5	0.3	0.1	*	*	•	2.
32	5	•				*	0.1	0.2	0.2	0.2	0.1	•	•	•		0.
	6								*			1	•		•	0.
	7															
TOTAL		*		0.1	0.1	0.2	0.3	0.6	0.8	0.9	0.6	0.2	*	*	-	3.
	1-2			*	*	•	ŵ		0.1	*	*	*	*	*		0.
	3		*	*	*	*	0.1	0.3	0.8	1.2	0.6	*	*	•	-	3.
42	4	-	•	*	*	*	0.2	0.4	0.6	0.8	0.4	*	•	•		2
	5						0.1	0.2	0.2	0.2	0.1		•	•	•	0.
	6 7						0.1	0.1	0.1				•	•	•	0.
TOTAL-		*		*	÷	0.1	0.5	1.1	1.7	2.3	1.1	0.1	*	*	-	7.
	1-2				*			*	*	+	*			•		
	3		-	*	*		*		*	*		*				0.
52	4	-	•	*	*	*	*	*	*	*		*		-		0.
	5	-	-	*	*	*	th	*	*	*	*	-		•	-	0.
	6		-	-						•	-	•	•	•	-	0.
	7	-	•	-	-	•	0.1	0.1	0.1	•	-:-	-	-	-	-	0.
TOTAL-			-													

Table 14. -- Oklahoma: Percent distribution of color, leaf and staple for upland cotton classed:

January 3, 2002 QUALITY STAPLE LEAF COLOR 26 & 28 29 30 31 32 33 34 35 36 37 38 39 40 & + TOTAL Pct. 1-2 3 62 4 5 6 TOTAL-1-2 0.2 3 0.1 13 & 23 4 5 6 TOTAL-0.1 0.1 0.3 1-2 0.1 0.1 0.3 3 0.1 0.1 0.1 0.1 0.6 33 0.2 5 6 TOTAL-0.1 0.1 0.2 0.3 0.2 0.1 1.1 1-2 0.1 3 0.1 0.1 0.2 0.1 0.6 43 4 0.1 0.1 0.1 0.1 0.4 5 0.1 0.1 0.2 6 0.1 7 TOTAL-0.1 0.2 0.4 0.4 0.2 1.4 1-2 3 53 4 5 6 TOTAL-0.1 1-2 3 63 4 5 6 TOTAL-24-54 0.1 0.2 1-7 25-35 1-7 81-85 1/ 1-7 All Colors 8 2/ 1.2 7.3 1.1 100.0 TOTAL, ALL-0.2 0.5 3.0 6.6 10.9 18.3 24.8 26.1 0.1 EXTRANEOUS MATTER Average Staple 35.6 64.8 Percent Tenderable Bark - Level 1 6.0 Bark - Level 2 Grass - Level 1 Grass - Level 2 Prep - Level 1 Prep - Level 2 Other - Level 1 Other - Level 1

172,608 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. *Less than 0.05 percent.

Table 15. -- *South Carolina*: Percent distribution of color, leaf and staple for upland cotton classed:

January 3, 2002

LEAF	CHALLEY	N	11					Januar	y 3, 2002	STAPLE							
COLOR 268 28 29 30 31 32 33 34 35 36 37 38 39 408 170	QUALITY	LEAF								STAPLE	:						
1-2	COLOR														39_		TOTAL
118 21			Pct.	Pct.	Pct.									Pct.	Pct.	Pct.	Pct.
11 8 2 1		H	-	•	•										•	•	1.5
TOTAL— TOTAL—	11 9 21	II .		•	•									*			10
6	11021	II .				-							•	*			*
TOTAL— TOTAL—			-		-		_		_		*	*	•	-		-	*
1-2			-	-	-	-		-					-	-	-	-	-
31	TOTAL-		-	-	-	*	0.1							*	-	•	
S1		и	•	-	-	*								•			1.5
TOTAL			-	•	•	*								*	-	•	48.3
8	31		•	-	•	*									•	-	14.9
TOTAL—		91		-		_					V.Z	9.1		-			
TOTAL— TOTAL—			_			_						*					
1-2	TOTAL-		-		•	0.1	1.1	7.4	19.0	22.4	12.0	3.0	0.4	*			65.4
3		1-2	-			*								*		-	
S		AI .	-		-	*						0.3	*	*		-	7.6
Color	41	H	-	-	-	*							*	*	-	-	7.4
TOTAL— 7			-	-	-	*							•	-	•	-	0.8
TOTAL			-	-	-	•	•			*				-	•	•	0.1
1-2	TOTAL	-			-	*	0.4			10			0.1	-	-		
S1	TOTAL	1-2					*						0.1		-		
51						*		*		0.1	0.1	*					0.3
TOTAL	51	II .	-		-	*	*	0.1	0.1			*	*		-	*	0.4
TOTAL— 1-2		II .	-	-	-	*	•	*	*	*	*	*	w	-	-	-	0.1
TOTAL— 1-2			-	•	-	-		*	*	*	•	*	*	-	-	-	
61	70741	7		-	-	•					•	-	-	•	•	•	
61	TOTAL-	1 10	-	•	-			0.1	0.2	0.2	0.2			-	-	-	0.8
61					-	*						*	•		-	-	*
5 6 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	61	II I			-	*		*		*							
TOTAL	01	1		-	-					•					_		
TOTAL— 1-2 3 71 4		II I	-	-				-	*	*	-	-					*
71		7	-	-	-	-		_	•	•	•	•	-	-		•	-
71	TOTAL		-	-	-	*	*	*	*	*	*	*	*	-	-	•	0.1
71			•	•	•			-	-	-	•	•	-	•	-	-	-
TOTAL— 11-2 11-2 11-3 11-3 3	71	11 3	•	•	•	-		•	-		-	•	•	•	•	•	
TOTAL— 12 8 22	/1	H I				-		_						•			
TOTAL— 1-2 1-2 3 1-2 4				-	-	-		*	_			-			-		
12 8 22		7	-		-	•	-	•		•	-	-	•		-	-	-
12 & 22	TOTAL		-	•	•	-	*	*	*	*	-	-	•	•	-	-	*
12 & 22				•	•	-	*	*	*	*	*	-		•	•	•	*
S C C C C C C C C C	40.000		-	•	-	•	*	*	*	*		*	*	•	-	•	*
TOTAL— 1-2 3	12 & 22		•	•	•	-	-		·	•				•	-	•	
TOTAL— 7		11 8								•		-		•			
TOTAL— 1-2 3		0						-									
1-2	TOTAL-		-	•	-	•	*	*	*	*			*		-		0.1
32		1-2	-	-	-		-					-			•	•	*
TOTAL— 1-2 3		II I	-	•	•	*	*					*	*		•		
TOTAL— 1-2	32	11 1	-	•	•	•		0.1	0.2	0.2		*	*	•	-	•	
TOTAL— 7		11 2				•	-					*	*		-	-	
TOTAL— 1-2 3		EI EI															
1-2	TOTAL-		20			*	#	0.3				*	*	*			
42		1-2	-	-			*							-	-		*
42		15 12	-		•	*	*			0.1	•	*	*	*	-		0.4
5	42	н н	-	•	•	*	*					*	*	•	•		0.8
TOTAL— 7			•	•	-	•	*			*	*	*	*	•	•		0.1
TOTAL— 1-2 3				•	•	•		R		*	*	*	•	•	•	•	*
52	TOTAL		•	-	-	*	*	0.2		0.2		*	-	•	-	-	-
52	TOTAL	1.2			-			0.3	0.5	0.3	0.1				•	•	1.4
52		11 11				*				*		*				-	
TOTAL	52	11 . 11				*						*					
7 · · · · · · · · · · · · · · ·		и и			•		*	*		*	*	*			-		
TOTAL 0.1		6	•	-	-		•		*	*	*	*	*	-	-		
		7	-	•	•		-			*	*	*	•	-			*
			-	•	•		*		*	*	*	#	*	-	-	-	0.1

Less than 0.05 percent.

Table 15. - South Carolina: Percent distribution of color, leaf and staple for upland cotton classed:

January 3, 2002 QUALITY STAPLE LEAF COLOR 26 & -28 29 30 31 32 33 37 38 39 40 & TOTAL 34 35 36 Pct. 1-2 3 62 4 5 6 TOTAL-1-2 3 13 & 23 4 5 6 TOTAL-1-2 3 33 4 5 6 TOTAL-1-2 3 43 4 5 6 TOTAL-1-2 3 4 53 5 6 TOTAL-1-2 3 63 4 5 6 TOTAL-24-54 25-35 1-7 81-85 1/ 1-7 All Colors 100.0 TOTAL, ALL—

EXTRANEOUS MATTER 33.7 19.2 5.0 0.8 1.8 11.3 28.1 0.1 Average Staple 33.8 Percent Tenderable 72.8 Bark - Level 1 0.3 Bark - Level 2 0.8 Grass - Level 1 Grass - Level 2 Prep - Level 1 Prep - Level 2 Other - Level 1 Other - Level 1

400,831 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. "Less than 0.05 percent.

Table 16. -- Tennessee: Percent distribution of color, leaf and staple for upland cotton classed:

QUALITY	LEAF								STAPLE							
COLOR	LEAF	26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TO
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Po
	1-2	-	-	-	-		0.5	1.5	1.0	0.3	0.1	*	-	-	•	3
	3	-	-	-	•		0.3	1.9	2.7	1.3	0.5	0.1		•	-	6
11 & 21	4	-	-	•	-	-			0.1	0.1				-		0
	5		_		-					_						
	7	_			-		-	-	-		-	-	-	-	-	
TOTAL-			-	•		ŵ	0.8	3.5	3.8	1.7	0.6	0.1	*	-	~	10
	1-2	-	-	•	-	0.1	1.2	2.9	1.8	0.5	0.1	*	-	-	•	6
	3	-	-	-	-	0.1	2.1	11.3	15.5	7.5	2.7	0.4	*	-	-	39
31	4	-	-	-	•	*	0.1	0.8	2.2	2.0	0.9	0.2	*	-	•	6
	5	-	•	-	•	-				0.1			-	-	•	0
	6 7												-			
TOTAL-		-		-	-	0.2	3.3	14.9	19.6	10.0	3.7	0.7	*			52
	1-2	-		-		*	0.1	0.2	0.2		*	*	-	•	-	0
	3	-				*	0.7	3.4	4.9	2.4	0.8	0.1			-	12
41	4	-	-	-	-	*	0.2	0.9	1.7	1.4	0.7	0.2	*	-	-	5
	5	-	-	-	-	•		*	0.1	0.1	0.1	*	*	•	-	0
	6 7	-	•	-	-	-	•	•			•		-	•	•	
TOTAL-			•	-	-	*	1.0	4.6	6.8	4.0	1.7	0.3	•	-		18
TOTAL	1-2						*	*	*	*	*	-			-	- / (
	3					•		0.1	0.2	0.1		*		-		0
51	4	-	-		-	*	*	0.1	0.1	*	•			-		0
	5		-	•	•	*	*	*	*	*	*	*	-	-	-	0
	6	-	-	•	-	•			*				-	-	-	
TOTAL-	7	-		-	-		0.1	*	*	0.1	*	*	•	•		
TOTAL	1 1 2	-		•	-		0.1	0.3	0.3	U. I			-	-	•	0
	1-2			-			*	*					•	-		
61	4		-			*										
0,	5		-	-				*		*				_		
	6	-	-	-	-	-		*	*	-	•			-	-	,
	7	-	-	-	•	-	-	*	-	-	-	•		•	•	1
TOTAL—		-	•	-	•	*	*	*	*	*	*	*	•	-	-	- '
	1-2	-	-	•	-	-	-	-	-	-	-		-	-	-	
71	3 4	-		-									-			
, ,	5		-								_					
	6		-	-	-	-	-	•	-	•	-	-	-	-	-	
	7	-	•	-	-	-	-	•	-	•		-	-	-	-	
TOTAL-			-	-	-	-		-	•	•	-	-	-	-	-	•
	1-2		•	•	•	*	0.1	0.1	*	*	*	*	-	-	•	0.
40.9.00	3		•	•	•	•	0.1	0.2	0.2	0.1			-	•	•	0.
12 & 22	5						_						-	•		
	6		-			-										
	7	-	-	-			•		-	-						
TOTAL—		-	-	•		*	0.1	0.3	0.3	0.1	*	•	-		•	0.
	1-2	-	-		•	*	0.3	0.4	0.2	*	*	*			1	1.
	3	•	•	•	-		0.7	2.4	2.3	0.9	0.2		*	-	-	6.
32	4	-	-	•	•	•		0.2	0.5	0.4	0.1		•	•	•	1.
	5															0.
	7	_				-					*					
TOTAL-			-	-	-	0.1	1.0	3.1	3.0	1.3	0.3	0.1		-		9.
	1-2				-	*	0.1	0.1	*	*	*	*		-	-	0.
	3	-	-	•	-	•	0.4	1.5	1.5	0.6	0.1	*	*	-	-	4
42	4	-	-	-	-	•	0.1	0.5	0.7	0.5	0.2		•	-	-	2.
	5	-	•	-	•	•	*	:				*	•	•	•	0.
	6 7	•		•		•		*				*	•	•		1
TOTAL-		-		•		-	0.6	2.1	2.3	1.1	0.3	-	*	-	-	6.
	1-2					*	*	*	*	*	0.3					0.
	3		-		-	*			*			*				0.
52	4			-	-			0.1						-		0.
	5	-	-	-	•	*	*	*		*	*			-		,
	6	-	•	•	-	-		*	•	*	•		•	•		1
TOTAL-	7	-	•	•	-	•	*	0.1	0.1	*	-	•		-		-
				-	_		W .	0.4	73 4				-	-	-	0.

Table 16. -- Tennessee: Percent distribution of color, leaf and staple for upland cotton classed:

January 3, 2002 QUALITY STAPLE LEAF COLOR 26 & -28 29 30 31 32 33 34 35 36 37 38 39 40 & + TOTAL Pct. 1-2 3 62 4 5 6 TOTAL-1-2 3 13 & 23 4 5 6 TOTAL-1-2 0.1 3 0.1 0.1 0.4 33 4 0.1 5 6 TOTAL-0.2 0.2 0.1 0.5 1-2 3 0.1 0.1 0.3 4 43 0.2 5 6 TOTAL-0.2 0.2 0.1 0.5 1-2 3 4 53 5 6 TOTAL-1-2 3 63 4 5 6 TOTAL-0.1 24-54 1-7 25-35 81-85 1/ 1-7 All Colors 8 2/ 100.0 0.4 7.1 29.4 18.6 6.8 1.2 TOTAL, ALL-EXTRANEOUS MATTER Average Staple 33.9 Percent Tenderable 43.0 Bark - Level 1 0.3 Bark - Level 2 Grass - Level 1 0.2 Grass - Level 2 Prep - Level 1 Prep - Level 2 Other - Level 1 Other - Level 1

943,988 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. Less than 0.05 percent.

Table 17. -- *Texas*: Percent distribution of color, leaf and staple for upland cotton classed:

QUALITY	1						Januar	y 3, 200	2 STAPLE	:						
	LEAF								STAPLE							
COLOR		26 & -	28	29	30	31	32	33	34_	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	1-2				0.3 0.2	1.4 0.6	4.1 1.8	7.9 3.4	10.4 4.4	7.4 3.3	3.5 1.5	1.6 1.0	0.2 0.2			36.8 16.5
11 & 21	4				0.2	0.6	0.2	0.3	0.4	0.4	0.1	0.1	*			1.6
11021	5		-						*			*				0.1
	6	-	-						*		*	•	-	-	-	
	7	-	•			-		-	-	-	-	•	•	•	•	
TOTAL-				0.1	0.4	2.1	6.1	11.6	15.3	11.1	5.1	2.7	0.5	*	*	55.0
	1-2	-	*	*	*	0.1	0.5	0.8	0.9	0.6	0.3	0.1	•			3.4
31	3 4	· ·			0.1	0.3	1.0 0.3	1.9 0.7	2.1 0.9	1.4 0.6	0.8 0.3	0.6 0.2	0.1 0.1	*		8.3 3.2
31	5				*	*	*	0.7	0.9	0.0	*	*	*	*		0.4
	6			*	*	*		*	*	*		*	*	*		
	7	-		•	*	-	*	*	*	*	-	*		•	-	*
TOTAL-		*	*	*	0.1	0.6	1.8	3.6	3.9	2.7	1.4	0.9	0.3	*	*	15.3
	1-2	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	-	0.4
44	3	1	•			0.1 0.1	0.2 0.2	0.3	0.4	0.3	0.2	0.1				1.8 1.4
41	5	-	*		*	0.1	0.2	0.3 0.1	0.4	0.2 0.1	0.1	0.1				0.5
	6	-		*	*		*	*	*	*		*				0.1
	7	-			*		•		*	*	*	*	•		-	
TOTAL-		*		*	*	0.2	0.5	0.9	1.1	0.8	0.4	0.2	*	*	*	4.2
	1-2	-	-	*	*	•	*	*	*	*	*		*	•	•	•
-,	3	-	•	*	*	*	•		•	*	•	*		•	:	0.2
51	4 =	-	•						*							0.1
	5		-				*	*					*	w		
	7	-	-	*	*	*		*	*		•	-	*			
TOTAL-		-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	-	0.4
	1-2	-	-	-	*	*	*	*	*	*	*		-	•		*
	3	-	-	-	*	*	*	*	*		*	•		-	•	*
61	4	•	-	~	•	•			•		•		T.	•	-	
	5 6								-				-	-	-	
	7	-		-	-				-	-		-				
TOTAL-		•	-	-	*		*	*	*	*	*	*	*	-		*
	1-2	·	•	•	•	•		*	*	*	•	-	•	•	-	•
	3		•	-	-	*	*	*	*	-	*	-		-	•	*
71	4	•	-	•	-	•	•	-	-	•	*	-	•	-	•	*
	5				-		•				*		•	-		
	7				-					-	-					
TOTAL		•	-	-	-	*		th.	*	*	*	-		•	-	
	1-2	*	*	*	0.1	0.3	0.6	0.9	1.1	0.7	0.3	0.1		*		4.1
	3		*	*	0.1	0.2	0.5	0.8	0.9	0.6	0.2	0.1	*	*	*	3.4
12 & 22	4 5						0.1	0.1	0.1	0.1	*	*		*	•	0.5
	5 6						•			*						
	7										-					
TOTAL-		*	*	*	0.1	0.5	1.2	1.8	2.2	1.4	0.5	0.2	*	*	*	8.0
	1-2		*	*	•	0.1	0.1	0.2	0.2	0.1	*	*	*	*	-	0.9
	3	:	*	*	•	0.2	0.5	0.8	0.8	0.5	0.2	0.1	*	*	*	3.1
32	4	*				0.1	0.2	0.3	0.4	0.2	0.1	*		*	•	1.4
	5 6				*	*		*	*			*			•	0.2
	7		*		*	*	*	*	*		*					
TOTAL		*	*	*	0.1	0.4	0.8	1.4	1.5	0.9	0.3	0.2	*		*	5.6
	1-2		•	*	*	*	*	*	*	•	*	•	*	•		0.2
	3	•			0.1	0.2	0.4	0.4	0.3	0.1	*	*	*	*	*	1.6
42	4	•	•			0.1	0.3	0.4	0.3	0.2		*	*		•	1.4
	5				*	*	0.1	0.1	0.1	0.1	*	*	*		•	0.5
	7	-				*		*		*						0.1
TOTAL-				*	0.1	0.4	0.8	0.9	0.9	0.4	0.1	*	*	*	*	3.8
	1-2		*	•	*	*	*		*	*	*	*	*	-		0.2
	3	•	*	*	*	0.2	0.3	0.3	0.2	0.1	*	*	*	•		1.1
52	4	•		*	*	0.1	0.1	0.1	•	*	*	*	*	*	•	0.4
	5	•		*	,		*	,					-	*	•	0.1
	6 7			*			*								•	:
TOTAL-		-	*	*	0.1	0.3	0.5	0.4	0.3	0.1	*	#	*	*	-	1.8
* Less than 0.05 pe								-								7.0

^{*} Less than 0.05 percent.

Table 17. -- Texas: Percent distribution of color, leaf and staple for upland cotton classed:

January 3, 2002 QUALITY STAPLE LEAF COLOR 26 & 28 29 30 31 32 33 34 35 36 37 38 39 40 & + TOTAL Pct. 1-2 3 0.2 62 4 0.1 5 6 TOTAL-0.1 0.1 0.2 1-2 0.1 0.1 0.1 0.4 3 0.1 0.1 0.1 0.4 13 & 23 5 6 TOTAL-0.2 0.2 0.2 0.1 0.1 0.8 1-2 0.1 0.1 0.3 3 0.1 0.2 0.2 0.2 0.1 0.9 33 0.1 0.3 5 6 TOTAL-0.1 0.2 0.3 0.4 0.1 0.1 0.3 1.5 1-2 0.1 0.1 0.1 3 0.1 0.1 0.5 43 0.1 0.1 0.3 4 5 0.1 6 TOTAL-0.1 0.2 0.2 0.2 0.1 0.1 0.1 1.0 1-2 0.1 0.1 0.2 0.2 0.1 0.5 3 53 4 0.1 0.2 5 6 TOTAL-0.9 0.2 0.2 0.1 0.1 1-2 0.3 3 0.1 0.1 0.1 0.1 63 0.2 4 5 6 TOTAL-0.1 0.2 0.2 0.1 0.5 24-54 0.1 0.1 0.1 0.1 0.5 1-7 1-7 25-35 0.3 81-85 1/ 1-7 0.1 0.1 All Colors 8 2/ 8.3 4.5 0.9 0.1 100.0 0.2 1.2 5.1 12.9 22.1 26.5 18.2 TOTAL, ALL-Average Staple 33.8 EXTRANEOUS MATTER Percent Tenderable 54.2 Bark - Level 1 5.4 Bark - Level 2 Grass - Level 1 0.8 Grass - Level 2 Prep - Level 1 0.1 Prep - Level 2

Other - Level 1

Table 18. – *Virginia*: Percent distribution of color, leaf and staple for upland cotton classed:

COLOR LEAF COLOR LEAF COLOR C	QUALITY	T						Januar	y 3, 2002	2 STAPLE							
12		LEAF															
1-2	COLOR	-		28	29		31			34	35	36	37	38	39	40 & +	TOTAL
11 & 21		12	Pct.	Pct.	Pct.	Pct.	Pct.							PCt.	PCt.	PCI.	
118 21							*		0.2	1.0	1.4	1.0	0.2			-	3.8
TOTAL	11 & 21	H		-		-	-							-	-	-	0.7
TOTAL		5	-	-	-	-		•					-	-	-	-	
TOTAL—			-	-	-	•	-	-	-	-	*	-	-	-	-	-	
1-2	70741	7	-	•	-	-	-					- 10	- 0.2	-	•	-	
3	TOTAL—	1.0	-			•											
S1													1.8	*			
S	31				-									*	-		23.7
TOTAL		41	-	-	•		•							*	-	-	1.0
TOTAL			•	•	-	•	•	•	*	*	*		*	•	-	•	
1-2		7	-	-		•	•							•		-	
10	TOTAL-		-	-	•										-		
41			-	•	-	•									_		
S	41	11	-		-									0.1			12.8
TOTAL	71	li .	-	-													1.1
TOTAL			-	-	-	-			-						-	-	0.1
1-2		7	-	-	•	-	-	•	•							-	*
Si	TOTAL		-	-	•		•	0.3	2.1				1.9	0.1	•	•	
51			-	-	-	•	•							•		•	
TOTAL	51	M .								*			*				0.1
TOTAL		M :	-	-	-	-		-	*				*	-		-	
TOTAL			-	-	-	-	-	-	-	*	*		*	•	•	-	
61			-		-	•	-	-	-	-			•	•	-	•	
61	TOTAL		-	-	•	-	-	*	*	0.1	0.1	0.1	*	-	-	-	0.4
61			-	-	-	•	•	-	-	•	•	-	•	•	•	•	•
TOTAL	61	III I				-	-					-	-	-			
6	01	11							-				_			_	
TOTAL		H I	-	-	-	-	-		-	-	-	-	-			•	-
71		7			•	•	•	-	-	•		•	•	-	•	-	
71	TOTAL			•	•	•		-	-	•	•	•	-		-		
71				•	-	-	-			-	-	-	•	•	•	•	•
TOTAL TOTAL 1-2 3 12 & 22 4	71			-													
TOTAL		B I						-	-			-					-
TOTAL		n i	-	-			-	-	-	-	-	-				•	-
12 & 22		7	-	-	•	-		-	-	•	-	-	-	-	•	-	
12 & 22	TOTAL		-	*	•		•	*	-	•	•	-	•	-	•	•	*
12 & 22			-	•	•	-	•	-	•					•			
TOTAL— TOTAL—	12 & 22	H I		-													
TOTAL— TOTAL— 1-2 1-2 3 4	12 0 22	H	-		-			-					_	-	-		
TOTAL— 1-2 3		II I	-	-	-	-	•		•	-		-	-	-			-
32		7	-	-	-	-		•		-	-	•	•	•	•	-	-
32	TOTAL-		-	-	-	-	-		-					•	•	-	-
32		N I		-	-	•	-							-	•	-	
TOTAL	32														-		0.2
TOTAL TOTAL 1-2 3	02	1				-			-	=							
TOTAL		R B	-	-		•	-			-		•	-		-	-	
1-2		7				-	-	-	-				-	-	-		
42	TOTAL		-	-	-	-		*	0.1	0.1	0.2	0.1	*	-	-	-	0.4
42		41 8			-	•	-			-	-		-	•	•		
5 6 7	49	11 11						*				*		•	•		
6 7	76	11 14	-			-				*	*						
TOTAL		EI II		-			-			*	*	•	-	-			*
52		7	•	•		•	-			-		*		•		-	
52	TOTAL		•		-		•	*	*	0.1	0.1	*	*			-	0.2
52		0 11	•	•	•	•	•		•		-		•	-	•	•	•
5	50	11 11	•	•	-	•	•	•	•		,		•	-	-	•	
6	52	11 0									*			•		•	
7																	
		H B		-		-				-						-	
							-	-		-	*			-	-		*

Less than 0.05 percent.

Table 18. – Virginia: Percent distribution of color, leaf and staple for upland cotton classed:

OLIALITY	D .	1					January	3, 200	2							
QUALITY	LEAF								STAPLE							
COLOR		26 & -	28	29	30	31	32	33	34	25	00	07	00	20	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	Pct.	Pct.
	1-2	-	-	-		-		- 01.	-			-	FOL.	-	r Ot.	-
	3	-		-												
62	4		•									-	_			
	5		•			-		-			-	-		-		-
	6		-	-		-	-	-	-	-	-	-	-			
	7		-	-	-	-	•	-	-		-	-	-	-	-	
TOTAL		-	-		-	-	-	-	•	-	-	-	-	-	-	-
	1-2	-	-	•	-	•	-	-	-	-	-		-	-	-	
40.000	3	-	•	-	•	-	-	•	•	*	-	-	-	-	•	*
13 & 23	4 5	-	•	•	•	-	•	*	-	-	-	-	-	-	•	•
	5 6		•	•	-	•	•	-	-	•	•	-	-	-		•
	7					-	•	•	•	•	•	-	-	-	•	•
TOTAL				-					-	*	-				-	*
	1-2	-	•													
	3								*	*		*				*
33	4		-						*	*						
	5	-		-	-	•	-	-	-						-	-
	6	-	-	-	-	-				-			-	-	-	
	7	-	-	-	-	•	-	-	-	-			-	-		-
TOTAL		-	-	-	•	-	-	-	*	*	*	*	-	-	-	*
	1-2	-	-	-	-	-	-	-	-	-			-	-	-	-
	3	-	-	-	-	-	-					-	-	-	+	
43	4	-	-	•	-	-	-	-	-	-	•	*	-	-	-	
	5	-	-	•	•	-	-	-	-	-	•		-	-	-	
	6 7		•	•	-	-	-	-	-	-	•		-	-	-	
TOTAL		-		-			-			-	*		-	-	-	-
TOTAL	1-2												-			
	3															*
53	4			_												
	5						-	-		-		-		-	_	
	6	-	-	-	-			•	-	-	-			-	-	-
	7	-	-	-	-	-	-	-	-	-		-	-		-	-
TOTAL		-		-		-	•	-		*	•	•	-	-		
	1-2	-			-		-	-		•		-	-	-		-
	3	-	•		-		-	-		-	-	•	-	•	•	-
63	4	•	-	-	•	•	-	-	-	-	•	-	-	-	•	-
	5	-	-	-	-	•	•	-	•	-	-	-	-	-	•	•
	7	-		•	-	•			•		-					
TOTAL		-	-	-		•		-		-	-	-				
24-54	1-7									-	-	_	-			*
25-35	1-7										-					
81-85 1/	1-7		-		-		-	-		-		-	-	-	-	-
All Colors	■ 2/		-	-	_		-	-	-	*			-	-		
TOTAL, ALL		-		-			1.0	7.8	25.9	37.4	22.0	5.9	0.1	-	-	100.0
EXTRANEOUS MA	TTER													erage Sta		34.9
													Perce	ent Tende	erable	77.6
Bark - Level		0.6														
Bark - Level																
Grass - Level		2.7														
Grass - Level																
Prep - Level																
Prep - Level	4															
Other - Level Other - Level	1															
175 234		hesse	1/ Below (Grade Col	or. 2/ Belo	ow Grade	Leaf. " Le	ess than C	0.05 perce	nt.						

175,234 Bales classed. 1/ Below Grade Color. 2/ Below GradeLeaf. *Less than 0.05 percent.

Table 19. -- Percentage distribution of mike and fiber strength for upland cotton classed through

			1	January 3, 2	.002		1		
MIKE AND FIBER STRENGTH	ALABAMA	ARIZONA	ARKANSAS	CALIFORNIA	FLORIDA	GEORGIA	LOUISIANA	MISSISSIPPI	MISSOU
MIKE 24 & below	*	*	*	*	*	. *			*
25	*	*	*		*	*	*	-	*
26	*		*		*	•		•	*
27	*			*	*		•	*	0.1
28	0.1	*			*	*		*	0.1
29	0.1	*	*		0.1	0.1	*	*	0.1
30	0.2	0.1	0.1		0.2	0.1	*		0.1
31	0.3	0.1	0.1	0.1	0.4	0.1		*	0.1
32	0.4	0.2	0.2	0.1	0.7	0.2		0.1	0.3
33	0.6	0.2	0.2	0.2	1.2	0.2		0.1	0.3
34	0.9	0.3	0.3	0.4	1.5	0.4	*	0.1	0.3
35	1.4	0.4	0.5	0.7	1.7	0.6	*	0.2	0.6
36	2.0	0.5	0.7	1.3	2.0	1.0	*	0.2	0.8
37	2.6	0.8	0.9	2.3	2.6	1.5	0.1	0.3	1.2
38	3.2	1.1	1.2	3.5	2.9	2.2	0.1	0.5	1.7
39	4.2	1.5	1.6	5.2	3.6	3.3	0.2	0.7	2.3
40	5.2	2.1	2.3	7.2	4.7	4.6	0.5	1.0	3.1
				9.8				1.5	4.1
41	6.3	2.7	3.2		5.7 6.6	6.1	0.9	2.3	5.1
42	7.1	3.6	4.2	11.6		7.8			6.3
43	7.9	4.8	5.4	12.7	7.9	9.6	2.6	3.3	
44	8.5	6.2	6.8	11.6	9.2	11.0	3.9	4.4	7.4
45	9.0	7.5	8.0	9.0	10.1	11.3	5.5	5.9	8.1
46	8.8	8.7	8.9	6.8	9.6	10.6	7.8	7.4	8.5
47	8.1	9.8	9.4	5.1	8.5	9.1	10.1	8.8	8.5
48	7.2	10.4	9.2	4.0	7.3	7.1	12.2	9.8	8.1
49	5.7	9.7	8.9	3.1	5.9	5.1	13.2	10.4	7.1
50	4.1	8.5	7.9	2.1	3.7	3.4	12.8	10.4	6.2
51	2.7	7.4	6.8	1.4	2.2	2.1	11.0	9.7	5.3
52	1.7	5.3	5.4	0.8	1.1	1.2	8.3	8.4	4.6
53	0.9	3.8	3.8	0.4	0.3	0.7	5.2	6.6	3.5
54	0.5	2.3	2.3	0.2	0.1	0.3	2.7	4.4	2.6
55	0.1	1.2	1.1	0.1	*	0.1	1.0	2.4	1.7
56	0.1	0.5	0.5			0.1	0.3	0.9	1.0
57	*	0.1	0.1	*		*	*	0.1	0.5
58		*	*		-	•		*	0.1
59				-		*			
60 & above						•		-	
Average mike	43	47	45	44	47	45	47	45	44
BER STRENGTH 1/									
17 & below				-				-	-
18		-		-		-		-	
19			*	-	-	•		*	
20		*	*			•	•	*	
21			•			*			*
22	*	0.2	*		0.1	0.1		•	*
23	0.5	0.7	0.1	0.1	0.7	0.6	0.6	0.5	0.1
24	2.7	2.3	0.7	0.2	3.0	2.2	3.1	2.6	0.3
25	9.0	6.2	2.7	0.8	7.3	6.1	9.0	8.6	1.2
26	18.7	12.6	8.6	2.0	13.5	12.5	18.0	19.4	5.0
27	23.5	19.4	20.7	3.3	21.3	18.9	24.3	26.9	14.8
28	19.6	22.3	29.2	4.4	24.6	21.2	22.0	23.0	26.6
29	12.9	18.9	22.2	5.0		17.4			
			į.		18.0		13.7	12.4	28.1
30	7.5	10.7	10.6	7.2	8.1	11.3	5.9	4.5	16.4
31	3.8	4.4	3.4	13.6	2.7	5.9	2.1	1.3	5.4
32	1.3	1.6	0.9	21.5	0.6	2.5	0.8	0.4	1.4
33	0.3	0.5	0.4	21.0	0.1	0.9	0.4	0.2	0.4
34	0.1	0.2	0.2	13.0	*	0.3	0.2	0.1	0.1
35	*	*	0.1	5.3	•	0.1	•	0.1	0.1
36 & above	•	*	0.1	2.5	-	•	•	•	
Average strength	27.4	27.9	28.1	31.8	27.6	28.0	27.4	27.2	28.6

^{1/}Fiber strength expressed in terms of 1/8" gage (grams per tex.)

** Less than 0.05 percent.

Table 19. -- Percentage distribution of mike and fiber strength for upland cotton classed through

	17		Janu	ary 3, 2002				
MIKE AND	NEW	NORTH		SOUTH			1	UNITED
FIBER STRENGTH	MEXICO	CAROLINA	OKLAHOMA	CAROLINA	TENNESSEE	TEXAS	VIRGINIA	STATES
MIKE 24 & below	•	•	0.1	•				
25	0.1		0.2			*		*
26	0.1	*	0.2	*	*	0.1	*	*
27	0.2	*	0.3	*	*	0.1	*	*
28	0.2		0.4	*	0.1	0.2	*	0.1
29	0.2		0.5		0.1			
30	0.4	0.1	0.5	0.4		0.4		0.1
31	0.7	0.1		0.1	0.1	0.5	0.1	0.2
32			0.6	0.1	0.2	0.6	0.2	0.2
	0.9	0.2	0.6	0.2	0.3	0.8	0.2	0.3
33	1.5	0.3	0.7	0.2	0.3	1.0	0.4	0.4
34	1.8	0.5	0.9	0.4	0.3	1.4	0.6	0.6
35	2.9	0.9	1.2	0.7	0.5	1.8	0.9	0.9
36	3.9	1.3	1.4	0.9	0.5	2.2	1.2	1.2
37	5.1	1.9	1.9	1.3	0.6	2.7	1.7	1.6
38	6.5	2.7	2.1	1.8	0.8	3.2	2.4	2.1
39	8.0	3.7	2.9	2.7	0.9	3.8	3.3	2.8
40	8.9	4.9	3.4	3.8	1.2	4.4	4.3	3.6
41	8.8	6.2	4.3	5.1	1.6	5.0	5.5	4.6
42	8.7	7.6	5.2	6.3	2.1	5.5	6.9	5.6
43	8.2	8.8	6.3	7.4	2.8	6.0	8.2	6.6
44	7.1	9.7	7.6	8.7	3.6	6.6	9.2	7.4
45	5.6	10.0	8.5	9.7	4.6	7.0	9.8	7.9
46	5.1	9.4	9.2	9.9	5.7	7.3	9.0	8.2
47	4.2	8.4	9.5	9.7	6.8	7.5	7.8	8.2
48	3.7	7.0	8.9	8.8	8.1	7.4	6.2	7.9
49	2.8	5.5	7.3	7.3	9.3	6.8	5.1	7.4
50	2.0	3.9	5.7	5.6	10.1	5.9	4.1	6.4
51	1.1	2.7	4.1	4.0	10.3	4.7	3.6	5.4
52	0.6	1.7	2.7	2.6	9.7	3.4	3.2	4.2
53	0.4	1.0	1.5	1.4	8.3	2.0	2.6	2.9
54	0.1	0.6	0.8	0.8	6.0	1.0	1.8	1.8
55	0.1	0.3	0.3	0.3	3.4	0.4	1.0	
56	0.1	0.3	0.5	0.3	1.4	0.4	0.6	0.9
57		0.1	0.1	0.1	0.4	*	0.0	0.4 0.1
58	1	*		*	V.4 *	*	0.1	0.1
59	*				_	*	0.1	*
60 & above						*		*
Average mike	41	40	43	43	42	40	38	43
Average mike	4,	40	40	40	72	40	30	40
FIBER STRENGTH 1/								
17 & below						*		*
17 & Delow						*		
19								
20					*			
21			*		*	0.2		*
	0.0				*	0.5	*	0.1
22	0.3		0.0					Į.
23	1.1	0.1	0.2 0.7	0.1	0.2	1.2	0.1	0.5
24	2.9	0.8 4.9	2.5	0.4	0.7	2.0	0.6 3.8	1.6 4.8
25	4.8			3.1	2.9	3.6		
26	7.6	15.1	7.6	11.1	10.1	7.2	12.2	11.2
27	10.3	23.6	14.1	20.5	25.0	13.6	21.6	18.6
28	13.2	23.2	19.6	25.0	32.0	20.5	24.3	21.6
29	14.6	15.7	19.3	20.1	19.6	21.5	17.9	17.1
30	14.9	8.5	14.2	11.4	6.7	14.8	9.6	10.0
31	13.0	4.2	9.2	5.3	1.7	8.0	4.4	5.5
32	9.7	2.1	6.0	2.1	0.5	4.2	2.3	3.8
33	5.1	1.1	3.8	0.7	0.3	1.9	1.6	2.7
34	1.9	0.4	2.0	0.2	0.1	0.6	1.0	1.5
35	0.5	0.1	0.7	•	0.1	0.1	0.4	0.6
36 & above	0.1	•	0.2	•		*	0.3	0.3
Average strength	29.0	27.9	29.0	28.2	27.9	28.5	28.2	28.3

^{1/} Fiber strength expressed in terms of 1/8" gage (grams per tex.)
*Less than 0.05 percent.

Table 20. -- Percentage distribution of uniformity and trash for upland cotton classed through

January 3, 2002

				January 3, 2	2002				
UNIFORMITY									
AND TRASH	ALABAMA	ARIZONA	ARKANSAS	CALIFORNIA:	FLORIDA	GEORGIA	LOUISIANA	MISSISSIPPI	MISSOURI
HAUFORMEY 4/									
UNIFORMITY 1/									
72 & below			-		•	•	•		•
73			-		•	•	•	•	•
74					•	•	•		•
75	•				-				-
76		•	•		-	*	•		-
77	•	0.3	•		*	0.1	0.1		
78	0.6	1.7	0.2	0.3	0.7	1.0	0.9	0.2	0.1
79	4.2	9.1	1.5	2.2	5.8	6.7	6.1	1.8	0.6
80	16.1	30.1	8.2	11.6	24.2	23.1	21.0	10.1	4.2
81	31.6	39.0	27.0	31.6	41.4	37.2	35.6	31.0	20.0
82	31.5	16.8	42.3	39.7	23.4	24.5	27.4	40.3	45.9
83	14.0	2.8	18.2	12.2	4.2	6.6	8.1	14.6	25.7
84	2.0	0.2	2.5	1.7	0.2	0.7	0.8	2.0	3.4
85		*	0.1	0.3				0.1	0.1
86		*		0.2					
87		*		0.1		-		-	_
88					_	-			
89									-
90 & above		_	_			_		_	
Average uniformity	81.4	80.7	81.8	81.6	80.9	81.0	81.1	81.6	82.0
TRASH 2/									
0.0		*				•		- 1	
0.1	2.1	30.4	1.2	29.6	0.6	2.3	0.5	1.4	1.6
0.2	16.4	45.4	11.7	43.6	12.4	20.0	9.7	13.1	14.9
0.3	25.2	15.3	22.8	17.6	28.5	30.6	25.3	23.9	28.7
0.4	22.5	4.7	24.1	5.6	28.0	23.7	26.2	23.5	26.8
0.5	15.3	1.8	18.0	1.9	17.0	13.1	17.9	16.8	16.1
0.6	8.9	0.9	10.8	0.8	7.9	6.0	10.0	9.9	7.3
0.7	4.7	0.5	5.7	0.4	3.3	2.5	5.1	5.3	2.9
0.8	2.4	0.3	2.8	0.2	1.4	1.0	2.5	2.8	1.1
0.9	1.2	0.2	1.4	0.2	0.5	0.4	1.3	1.5	0.4
1.0	0.6	0.2	0.7	0.1	0.5	0.4	0.7	0.8	
	0.6	0.1	0.7	0.1	0.2	0.2			0.2
1.1		0.1			0.1		0.4	0.5	0.1
1.2	0.2	0.1	0.2			0.1	0.2	0.3	
1.3	0.1		0.1					0.1	
1.4									
1.5							, and the second		
1.6									
1.7			•		*	•	•		•
1.8 & above	•	•	*	*	*	•	•	•	•
Average trash	0.41	0.21	0.44	0.21	0.40	0.36	0.43	0.43	0.38

^{1/} A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as measured by a video scanner; 1.2 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. "Less than 0.05 percent."

Table 20. -- Percentage distribution of uniformity and trash for upland cotton classed through

				January 3,	2002			3
UNIFORMITY	NEW	NORTH		SOUTH		-		UNITED
AND TRASH	MEXICO	CAROLINA	OKLAHOMA	CAROLINA	TENNESSEE	TEXAS	VIRGINIA	STATES
UNIFORMITY 1/								
72 & below								
73		-	-			-	-	
74	•	-	-			*		
75	•					*		*
76	•		0.1	*		*		
77	0.1		0.3	0.1		0.2		0.1
78	1.3	0.3	1.1	1.2	0.1	1.5	0.1	0.7
79	7.9	2.3	4.5	7.4	1.2	6.8	1.0	4.2
80	22.9	11.1	15.5	22.5	7.3	20.8	6.1	15.5
81	31.6	30.6	33.5	36.0	28.7	35.3	22.3	32.4
82	26.0	37.0	31.9	25.0	43.9	26.7	38.4	33.3
83	8.9	16.3	11.7	7.1	17.1	7.8	26.0	12.1
84	1.2	2.3	1.3	0.7	1.7	0.8	5.8	1.5
85	0.1			*		*	0.3	0.1
86	-					*		
87		-				*		
88	-	-						
89								
90 & above								
Average uniformity	81.0	81.6	81.3	81.0	81.7	81.0	82.0	81.4
TRASH 2/								
0.0	0.2	-				*		*
0.1	37.9	0.5	35.5	1.6	3.4	21.9	0.2	9.8
0.2	33.4	7.6	30.7	14.8	24.7	32.4	6.2	22.0
0.3	14.2	20.2	14.8	25.4	31.6	20.3	20.2	23.3
0.4	6.9	24.5	8.1	23.8	21.0	11.3	25.7	18.8
0.5	3.6	19.9	4.5	16.3	10.7	6.2	20.4	12.2
0.6	1.8	12.6	2.5	9.1	4.8	3.4	13.0	6.8
0.7	0.9	6.9	1.5	4.5	2.1	1.9	7.0	3.5
0.8	0.4	3.6	0.8	2.2	0.9	1.0	3.6	1.7
0.9	0.3	1.9	0.5	1.1	0.4	0.6	1.8	0.9
1.0	0.2	1.0	0.3	0.6	0.2	0.4	0.9	0.5
1.1	0.1	0.6	0.2	0.3	0.1	0.2	0.5	0.3
1.2	0.1	0.3	0.1	0.2	0.1	0.1	0.2	0.2
1.3		0.2	0.1	0.1		0.1	0.1	0.1
1.4		0.1		*		*		
1.5		*	0.1			*		
1.6			*			•	*	
1.7				*			*	
1.8 & above					*	*	•	*
Average trash	0.22	0.47	0.24	0.41	0.34	0.28	0.47	0.36
			C1		a langth uniformit		oqual 100 2/ A	The state of the s

^{1/} A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as measured by a video scanner; 1.2 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark etc. *Less than 0.05 percent.

Table 21. - Quality of American Pima cotton classed for producers by State and United States through

Quality Designation	Leaf	Arizona	California	New Mexico	Texas	United States
	1	32.3	32.6	39.0	38.6	33.2
	3	23.5	8.7 0.1	30.7 0.1	21.1 0.1	10.5 0.1
01	4	0.2	0.1	0.1	0.1	0.1
	5					
	6 7	-				-
	7	-	-	•	•	
Total	-	55.9	41.4	69.9	59.8	43.8
	1	4.9	29.6	6.4	18.7	27.6
	2	33.9 1.0	21.0 1.5	20.7 1.9	19.5 0.7	21.2 1.4
02	3 4	1.0	1.5	*	0.7	1.7
	5					
	6	-	-			-
	6 7	-	-	•		-
Total	-	39.9	52.0	29.0	39.0	50.2
	1		0.5		0.2	0.5
	2	2.0	1.8	0.2	0.7	1.6
03	3 4	0.9	0.9	0.7	0.2	0.8
03	5	0.2 0.1	0.1	0.2		0.1
	6	-				
	6 7					•
Total		3.1	3.3	1.0	1.1	3.0
	1	*	0.1	-		0.1
	2	0.1	0.7			0.6
0.4	3	0.1	0.4			0.3
04	4	W	0.1			0.1
	5 6	0.3				
	7	0.1				
Total	_	0.6	1.3	•	•	1.1
	1			-		
	2	-	0.6			0.5
	3	:	0.6			0.6
05	4		0.1			0.1
	5	0.2			14 3	
Hardyn St	6 7	0.2				
Total	-	0.4	1.3			1.2
	1		•			•
12	2		0.2			0.2
	3		0.2			0.2
06	4	-	0.1			
-	5					
	6 7					
Total	_		0.4			0.3
	1		•		-	
	2				-	
	3					
07	4	-		-	1110	
4	5	•				
	6 7	-			•	
Total		-	,	-		
STAPLE				-	-	
40 & shorter						
42			0.1	0.1	0.1	0.1
44		16.7	22.6	13.9	20.8	22.1
46		60.8	65.7	53.6	70.9	65.7
48 & longer		22.5	11.6	32.4	8.2	12.2
Average	V	46.1	45.8	46.4	45.7	46.0
UNIFORMIT 72 & below						
72 & Delow						
74						
75				-	-	-
76			-	•		-
77				•	•	-
78			:			:
79 80				0.1		
81		0.1	0.3	0.7		0.4
82		0.9	1.9	2.8	0.2	1.5
83		5.4	8.3	10.3	1.9	6.5
84		20.9	23.4	27.7	16.7	22.2
85		35.5	35.2	35.9	64.5	42.8
86		26.4	21.7	17.8	15.3	20.3
87		9.3	7.3	4.3	1.4	5.6
88		1.4	1.6	0.5	0.1	0.9
89 00 f above			0.2		-	0.2
90 & above Average		85.1	84.9	84.7	85.0	84.9
		10,560	378,953	10,833	32,018	432,3
BALES CLASS						

Table 21. - Quality of American Pima cotton classed for producers by State and United States through

Table 21.	- Quality of American	Pima cotton classed f January 3,		and United States thre	ough
Quality	Arizona	California	New	Texas	United
Designation MIKE			Mexico		States
24 & below					
25 - 26		*			•
27 - 29 30 - 32		0.2	0.3		0.2
33 - 34	0.3 0.5	2.2	2.0	0.1	2.0
35 - 36	1.2	4.2	2.2	1.5	2.1
37 - 42	68.7	68.0	59.0	45.2	66.1
43 - 49	29.3	23.2	32.7	49.9	25.6
50 - 52			*.	0.1	
53 & above			-		
Average ALL MIKE	41	40	41	42	41
24 & below					
25					
26					
27			*		
28			0.1		
29 30		0.2	0.2	1	:
31	0.1	0.5 0.7	0.5 0.7		
32	0.1	0.7	0.7	0.1	
33	0.2	1.0	1.0	0.4	
34	0.3	1.2	1.2	1.0	0.9
35	0.5	1.6	1.3	1.4	1.2
36	0.7	2.6	2.4	1.9	1.9
37 38	1.2 4.2	4.7 8.0	5.0	2.1 2.2	3.3 5.3
39	7.1	11.1	6.8 9.2	4.4	8.0
40	14.6	14.3	11.6	8.9	12.4
41	20.4	15.6	12.9	13.3	15.6
42	21.2	14.2	13.5	14.4	15.8
43	15.6	11.0	12.5	14.4	13.4
44	8.8	6.9	9.8	16.9	10.6
45 46	3.7 0.9	3.4	5.9 2.7	9.6 4.8	5.7 2.5
47	0.2	0.5	1.1	2.8	1.2
48	*	0.5	0.5	1.2	0.9
49			0.2	0.2	0.2
50				0.1	
51			-		
52					-
53					
53 54					:
53					
53 54 55					
53 54 55 56 57 58					
53 54 55 56 57 58 59					
53 54 55 56 57 58 59 60 & above		-			
53 54 55 56 57 58 59 60 & above Average		- - - - - - - - - - - - - - - - - - -			
53 54 55 56 57 58 59 60 & above	41	- - - - - - - - - - - - - - - - - - -			41
53 54 55 56 57 58 59 60 & above Average Strength 17 & below 18	41	- - - - - - - - - - - - - - - - - - -	41	42	41
53 54 55 56 57 58 59 60 & above Average Strength 17 & below 18	41	- - - - - - - - - - - - - - - - - - -	41	42	41
53 54 55 56 57 58 59 60 & above Average Strength 17 & below 18 19 20	41		41	42	41
53 54 55 56 57 58 59 60 & above Average Strength 17 & below 18 19 20 21	41	40	41	42	41
53 54 55 56 57 58 59 60 & above Average Strength 17 & below 18 19 20	41	40	41	42	41
53 54 55 56 57 58 59 60 & above Average Strength 17 & below 18 19 20 21 22 23 24	41	40	41	42	41
53 54 55 56 57 58 59 60 & above Average Strength 17 & below 18 19 20 21 22 23 24 25	41	40	41	42	41
53 54 55 56 57 58 59 60 & above Average Strength 17 & below 18 19 20 21 22 23 24 25	41		41	42	41
53 54 55 56 57 58 59 60 & above Average Strength 17 & below 18 19 20 21 22 23 24 25 26 27	41	40	41	42	41
53 54 55 56 57 58 59 60 & above Average Strength 17 & below 18 19 20 21 22 23 24 25 26 27 28	41	40	41	42	41
53 54 55 56 57 58 59 60 & above Average Strength 17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30	41	40	41	42	41
53 54 55 56 57 58 59 60 & above Average Strength 17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31	41	40			41
53 54 55 56 57 58 59 60 & above Average Strength 17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32					
53 54 55 56 57 58 59 60 & above Average Strength 17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33			0.2	0.1	0.1
53 54 55 56 57 58 59 60 & above				0.1	0.1
53 54 55 56 57 58 59 60 & above Average Strength 17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35	- - - - - - - - - - - - - - - - - - -	- - - - - - - - - - - - - - - - - - -			0.1
53 54 55 56 57 58 59 60 & above				0.1	0.1
53 54 55 56 57 58 59 60 & above Average Strength 17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38	0.1 0.4 1.2 3.1 6.3		0.2 0.2 0.6 1.4 2.5 4.1 6.5		0.1 0.2 0.6 1.3 3.1 6.8
53 54 55 56 57 58 59 60 & above Average Strength 17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38	0.1 0.4 1.2 3.1 6.3 10.1			0.1 0.7 1.4 2.3 6.6 13.4 23.2	0.1 0.2 0.6 1.3 3.1 6.8 13.0
53 54 55 56 57 58 59 60 & above Average Strength 17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40	0.1 0.4 1.2 3.1 6.3 10.1 16.0		0.2 0.6 1.4 2.5 4.1 6.5 11.5	0.1 0.7 1.4 2.3 6.6 13.4 23.2 21.7	0.1 0.2 0.6 1.3 3.1 6.8 13.0
53 54 55 56 57 58 59 60 & above Average Strength 17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41			0.2 0.6 1.4 2.5 4.1 6.5 11.5 14.8 17.1	0.1 0.7 1.4 2.3 6.6 13.4 23.2 21.7	0.1 0.2 0.6 1.3 3.1 6.8 13.0 18.2 20.0
53 54 55 56 57 58 59 60 & above Average Strength 17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41		0.2 0.4 1.1 2.6 6.1 12.0 18.0 20.5		0.1 0.7 1.4 2.3 6.6 13.4 23.2 21.7 17.5 8.7	0.1 0.2 0.6 1.3 3.1 6.8 13.0 18.2 20.0
53 54 55 56 57 58 59 60 & above Average Strength 17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43			0.2 0.6 1.4 2.5 4.1 6.5 11.5 14.8 17.1	0.1 0.7 1.4 2.3 6.6 13.4 23.2 21.7	0.1 0.2 0.6 1.3 3.1 6.8 13.0 18.2 20.0
53 54 55 56 57 58 59 60 & above Average Strength 17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 & above			0.2 0.2 0.6 1.4 2.5 4.1 6.5 11.5 14.8 17.1 16.0 12.7 7.5 3.2	0.1 0.7 1.4 2.3 6.6 13.4 23.2 21.7 17.5 8.7 3.0 0.9	0.1 0.2 0.6 1.3 3.1 6.8 13.0 18.2 20.0 16.2 9.8 0.1
53 54 55 56 57 58 59 60 & above Average Strength 17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 & above Average	0.1 0.4 1.2 3.1 6.3 10.1 16.0 18.0 16.2 12.9 8.3 4.6	0.2 0.4 1.1 2.6 6.1 12.0 18.0 20.5 17.0 11.2 6.2	0.2 0.6 1.4 2.5 4.1 6.5 11.5 14.8 17.1 16.0 12.7 7.5 3.2	0.1 0.7 1.4 2.3 6.6 13.4 23.2 21.7 17.5 8.7 3.0	0.1 0.2 0.6 1.3 3.1 6.8 13.0 18.2 20.0 16.2 9.8 0.1
53 54 55 56 57 58 59 60 & above Average Strength 17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 & above Average EXTRANEOUS MATTER	0.1 0.4 1.2 3.1 6.3 10.1 16.0 18.0 16.2 12.9 8.3 4.6 2.8	0.2 0.4 1.1 2.6 6.1 12.0 18.0 20.5 17.0 11.2 6.2 4.8	0.2 0.6 1.4 2.5 4.1 6.5 11.5 14.8 17.1 16.0 12.7 7.5 3.2 1.7	0.1 0.7 1.4 2.3 6.6 13.4 23.2 21.7 17.5 8.7 3.0 0.9 0.5	0.1 0.2 0.6 1.3 3.1 6.8 13.0 18.2 20.0 16.2 9.8 0.1
53 54 55 56 57 58 59 60 & above Average Strength 17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 & above Average EXTRANEOUS MATTER Bark	0.1 0.4 1.2 3.1 6.3 10.1 16.0 18.0 16.2 12.9 8.3 4.6 2.8	0.2 0.4 1.1 2.6 6.1 12.0 18.0 20.5 17.0 11.2 6.2 4.8	0.2 0.6 1.4 2.5 4.1 6.5 11.5 14.8 17.1 16.0 12.7 7.5 3.2 1.7 39.8	0.1 0.7 1.4 2.3 6.6 13.4 23.2 21.7 17.5 8.7 3.0 0.9 0.5 39.6	0.1 0.2 0.6 1.3 3.1 6.8 13.0 18.2 20.0 16.2 9.8 0.1
53 54 55 56 57 58 59 60 & above Average Strength 17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 24 35 36 37 38 39 40 41 42 43 44 45 & above Average EXTRANEOUS MATTER Bark Grass	0.1 0.4 1.2 3.1 6.3 10.1 16.0 18.0 16.2 12.9 8.3 4.6 2.8 40.2	0.2 0.4 1.1 2.6 6.1 12.0 18.0 20.5 17.0 11.2 6.2 4.8 41.0	0.2 0.6 1.4 2.5 4.1 6.5 11.5 14.8 17.1 16.0 12.7 7.5 3.2 1.7 39.8	0.1 0.7 1.4 2.3 6.6 13.4 23.2 21.7 17.5 8.7 3.0 0.9 0.5	0.1 0.2 0.6 1.3 3.1 6.8 13.0 18.2 20.0 16.2 9.8 0.1
53 54 55 56 57 58 59 60 & above Average Strength 17 & below 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 & above Average EXTRANEOUS MATTER Bark	0.1 0.4 1.2 3.1 6.3 10.1 16.0 18.0 16.2 12.9 8.3 4.6 2.8	0.2 0.4 1.1 2.6 6.1 12.0 18.0 20.5 17.0 11.2 6.2 4.8	0.2 0.6 1.4 2.5 4.1 6.5 11.5 14.8 17.1 16.0 12.7 7.5 3.2 1.7 39.8	0.1 0.7 1.4 2.3 6.6 13.4 23.2 21.7 17.5 8.7 3.0 0.9 0.5 39.6	0.1 0.2 0.6 1.3 3.1 6.8 13.0 18.2 20.0 16.2 9.8 0.1

^{*} Less than 0.05 percent.